1985 ANNUAL INDEXES

Textile Research Journal

Volume 55

AUTHOR AND TITLE INDEX, pp. 774–780

MONTH	PAGES
January	1–76
February	77–138
March	139–200
April	201–262
May	263–324
June	325–386

SUBJECT INDEX, pp. 781–790

MONTH	PAGES
July	387–448
August	449–510
September	511–572
October	573–634
November	635–712
December	713–790

AUTHOR AND TITLE INDEX

Abhyankar, Prashant N. A New and Effective Method for Removing DMDHEU Crosslinks from Cotton (*Beck, Ladisch, Rowland*) 444

Aboul-Fadl, S. M. Effect of Mercerization on the Relation Between Single Fiber Mechanical Properties and Fine Structure for Different Cotton Species (*Zeronian, Kamal, Kim, Ellison*) 461

Aggarwal, S. K. Using Roving Load-Elongation Curve Measurements to Characterize Polyester Fibers for Yarn Irregularity (*Neelakantan*) 136

Ahirrao, S. M. Investigation of the Fine Structure and Morphology of Preswollen Indian Silk Fibers (*Bhat*) 65

Alberti, Guido Solvent Effects on Short Time Dyeings of Acrylics (*Cerniani, de Giorgi*) 635

Allgood, Ann C. Magnesium Nitrate, A Neglected Catalyst for Producing Durable Press Fabrics with Low Formaldehyde Release (*Reeves*) 191

Ambali, C. Crimp in Alkali-Treated Jute—Effect of Treatment Time (*Ganguly, Sao*) 253

Anandjiwala, R. D. A Generalized Model of Plain Woven Fabric (*Leaf*) 92

Anthony, W. Stanley Response of Lint Foreign Matter and Dust to Gin Machinery 640

Assimakopoulos, G. S. Elastic Properties of Twill and Modified Twill Warp Knitted Elastic Fabrics Part I: Fabric Production and Testing (*Cooke*) 452

Elastic Properties of Twill and Modified Twill Warp Knitted Elastic Fabrics Part II: Discussion and Assessment of Results (*Cooke*) 561

Bajaj, P. Dyeing Behavior of Poly(acrylonitrile-CO-Haloalkyl Acrylate/Methacrylate) Fibers (*Padmanaban*) 352

Balasubramanian, P. Effect of Strain Rate on Yarn Tenacity (*Salhotra*) 74

Effect of Mercerization on the Tensile Properties of Rotor Spun Yarn (*Hari, Sengupta, Chavan*) 122

Influence of Carding Technique on Yarn Tenacity Response to Increasing Rotor Speed (*Salhotra*) 381

Balasubramanya, R. H. A New Method for Reducing the Stickiness of Cotton (*Bhatawdekar, Paralikar*) 227

Bandyopadhyay, S. K. Jute Fibers Under Scanning Electron Microscopy (*Mukhopadhyay, Mukhopadhyay*) 733

Barella, A. Comments on "Effect of Mercerization on the Tensile Properties of Rotor Spun Yarns" (*Manich*) .. 630

Bargeron, J. D. Comparison of Yarn Costs Between Standard and Washed Cottons (*Shaw*) 299

Bateup, B. O. Effect of Modified Rinsing Conditions on the Whiteness of Laboratory Scoured Wool 50

Beck, Keith R. A New and Effective Method for Removing DMDHEU Crosslinks from Cotton (*Abhyankar, Ladisch, Rowland*) 444

Bel, Patricia D. Yarn Spun by Different Methods from Blends of Wool/Cotton and Wool/Polyester (*Louis*) 681

Benerito, Ruth R. Testing Based on Wettability to Differentiate Washed and Unwashed Cotton Fibers (*Ward*) 40

Objective Differentiation of Washed and Unwashed Cottons by Thermal Analyses (*Ward, Calamari*) 186

Benisek, L. Effect of Metal Content in 1:2 Premetallized Dyes on the Phototendering of Wool (*Edmondson, Matthews*) 256

Bergeron, D. Effect of pH on the Role of N-Methylol Hydrolysis in Formaldehyde Release from Durable Press Fabric (*Kamath, Hornby, Weigmann*) 766

Bertoniere, Noelie R. Spreading and Imbibition of Durable Press Reagent Solutions in Cotton-Containing Fabrics (*Rowland*) 57

Distribution of Crosslinks in DMDHEU-Treated Fabrics from Measurements on Warp and Fill Yarns (*King, Rowland*) 77

Bhalla, G. L. Effect of Corona and Oxidation Pretreatments on Grafting in Wool Fabric (*Nigam, Pillai*) 254

Bhat, N. V. Investigation of the Fine Structure and Morphology of Preswollen Indian Silk Fibers (*Ahirrao*) .. 65

Bhatawdekar, S. P. A New Method for Reducing the Stickiness of Cotton (*Balasubramanya, Paralikar*) 227

Broderick, T. E. Dependence of PET Molecular Weight and Process Conditions on 16 Mil Monofilament 277

Brooks, J. H. Mechanism of Adhesion in the Chlorine-Hercosett® Shrinkproofing Process and the Effect of the Sulphite Stage 379

Brown, G. H. Statistical Procedures for Predicting Length Characteristics of Top from Raw Wool Measurements (*Rottenbury, Kavanagh*) 143

Statistics for the Number of Fiber Ends in a Segment of a Random Assembly of Aligned Fibers (*Ly*) 206

Fiber Length Statistics for a Random Assembly of Aligned Fibers 399

Reference Standard Wool Tops for Measurement of Fiber Diameter Distribution (*Lunney*) 671

1985 ANNUAL INDEXES

Textile Research Journal

Volume 55

AUTHOR AND TITLE INDEX, pp. 774–780

MONTH	PAGES
January	1–76
February	77–138
March	139–200
April	201–262
May	263–324
June	325–386

SUBJECT INDEX, pp. 781–790

MONTH	PAGES
July	387–448
August	449–510
September	511–572
October	573–634
November	635–712
December	713–790

AUTHOR AND TITLE INDEX

Abhyankar, Prashant N. A New and Effective Method for Removing DMDHEU Crosslinks from Cotton (*Beck, Ladisch, Rowland*) 444

Aboul-Fadl, S. M. Effect of Mercerization on the Relation Between Single Fiber Mechanical Properties and Fine Structure for Different Cotton Species (*Zeronian, Kamal, Kim, Ellison*) 461

Aggarwal, S. K. Using Roving Load-Elongation Curve Measurements to Characterize Polyester Fibers for Yarn Irregularity (*Neelakantan*) 136

Ahirrao, S. M. Investigation of the Fine Structure and Morphology of Preswollen Indian Silk Fibers (*Bhat*) 65

Alberti, Guido Solvent Effects on Short Time Dyeings of Acrylics (*Cerniani, de Giorgi*) 635

Allgood, Ann C. Magnesium Nitrate, A Neglected Catalyst for Producing Durable Press Fabrics with Low Formaldehyde Release (*Reeves*) 191

Ambali, C. Crimp in Alkali-Treated Jute—Effect of Treatment Time (*Ganguly, Sao*) 253

Anandjiwala, R. D. A Generalized Model of Plain Woven Fabric (*Leaf*) 92

Anthony, W. Stanley Response of Lint Foreign Matter and Dust to Gin Machinery 640

Assimakopoulos, G. S. Elastic Properties of Twill and Modified Twill Warp Knitted Elastic Fabrics Part I: Fabric Production and Testing (*Cooke*) 452

Elastic Properties of Twill and Modified Twill Warp Knitted Elastic Fabrics Part II: Discussion and Assessment of Results (*Cooke*) 561

Bajaj, P. Dyeing Behavior of Poly(acrylonitrile-CO-Haloalkyl Acrylate/Methacrylate) Fibers (*Padmanaban*) 352

Balasubramanian, P. Effect of Strain Rate on Yarn Tenacity (*Salhotra*) 74

Effect of Mercerization on the Tensile Properties of Rotor Spun Yarn (*Hari, Sengupta, Chavan*) 122

Influence of Carding Technique on Yarn Tenacity Response to Increasing Rotor Speed (*Salhotra*) 381

Balasubramanya, R. H. A New Method for Reducing the Stickiness of Cotton (*Bhatawdekar, Paralikar*) 227

Bandyopadhyay, S. K. Jute Fibers Under Scanning Electron Microscopy (*Mukhopadhyay, Mukhopadhyay*) 733

Barella, A. Comments on "Effect of Mercerization on the Tensile Properties of Rotor Spun Yarns" (*Manich*) .. 630

Bargeron, J. D. Comparison of Yarn Costs Between Standard and Washed Cottons (*Shaw*) 299

Bateup, B. O. Effect of Modified Rinsing Conditions on the Whiteness of Laboratory Scoured Wool 50

Beck, Keith R. A New and Effective Method for Removing DMDHEU Crosslinks from Cotton (*Abhyankar, Ladisch, Rowland*) 444

Bel, Patricia D. Yarn Spun by Different Methods from Blends of Wool/Cotton and Wool/Polyester (*Louis*) 681

Benerito, Ruth R. Testing Based on Wettability to Differentiate Washed and Unwashed Cotton Fibers (*Ward*) 40

Objective Differentiation of Washed and Unwashed Cottons by Thermal Analyses (*Ward, Calamari*) 186

Benisek, L. Effect of Metal Content in 1:2 Premetallized Dyes on the Phototendering of Wool (*Edmondson, Matthews*) 256

Bergeron, D. Effect of pH on the Role of N-Methylol Hydrolysis in Formaldehyde Release from Durable Press Fabric (*Kamath, Hornby, Weigmann*) 766

Bertoniere, Noelie R. Spreading and Imbibition of Durable Press Reagent Solutions in Cotton-Containing Fabrics (*Rowland*) 57

Distribution of Crosslinks in DMDHEU-Treated Fabrics from Measurements on Warp and Fill Yarns (*King, Rowland*) 77

Bhalla, G. L. Effect of Corona and Oxidation Pretreatments on Grafting in Wool Fabric (*Nigam, Pillai*) 254

Bhat, N. V. Investigation of the Fine Structure and Morphology of Preswollen Indian Silk Fibers (*Ahirrao*) .. 65

Bhatawdekar, S. P. A New Method for Reducing the Stickiness of Cotton (*Balasubramanya, Paralikar*) 227

Broderick, T. E. Dependence of PET Molecular Weight and Process Conditions on 16 Mil Monofilament 277

Brooks, J. H. Mechanism of Adhesion in the Chlorine-Hercosett® Shrinkproofing Process and the Effect of the Sulphite Stage 379

Brown, G. H. Statistical Procedures for Predicting Length Characteristics of Top from Raw Wool Measurements (*Rottenbury, Kavanagh*) 143

Statistics for the Number of Fiber Ends in a Segment of a Random Assembly of Aligned Fibers (*Ly*) 206

Fiber Length Statistics for a Random Assembly of Aligned Fibers 399

Reference Standard Wool Tops for Measurement of Fiber Diameter Distribution (*Lunney*) 671

Calamari, T. A. Objective Differentiation of Washed and Unwashed Cottons by Thermal Analyses (*Ward, Benerito*) 186
Carnaby, Garth A. Continuum Mechanics of the Fiber Bundle (*Curiskis*) ... 334
Cerniani, Ado Solvent Effects on Short Time Dyeings of Acrylics (*Alberti, de Giorgi*) ... 635
Chauhan, R. S. Critical Dissolution Time Measurement of Mechanically Stressed Filament Yarns (*Dweltz*) ... 385
Dimensional Deformation of Filaments—An SEM Assessment (*Rao, Dweltz*) ... 484
Dynamic Mechanical Properties of Mechanically Deformed Filaments (*Dweltz*) ... 658
Chavan, R. B. Effect of Mercerization on the Tensile Properties of Rotor Spun Yarn (*Hari, Balasubramanian, Sengupta*) ... 122
Cheek, L. Stability of a Borax-Based Smolder Retardant Finish for Cotton Upholstery Fabrics (*Wilcock, Olsen*) ... 271
Chelaru, J. Influence of Technological Processes on Tear Strength of Finished Wools (*Popescu, Magrini, Pali, Corneanu*) ... 72
Chudleigh, P. W. Detecting Colored Fiber Contaminants in Wool Top Using Balanced Illumination (*Foulds, Wong*) 233
Columbus, Eugene P. Changes in Gram-Negative Bacteria and Endotoxin in Stored Bales of Lint (*Fischer*) ... 308
Gram-Negative Bacteria and Endotoxin in Cotton: Effect of Multiple Lint Cleaning ... 677
Cook, J. R. Shrink Resisting Wool with Synthappret BAP: The Effect of Drying Conditions (*Fleischfresser*) ... 607
Cooke, W. D. Pilling Attrition and Fatigue ... 409
Elastic Properties of Twill and Modified Twill Warp Knitted Elastic Fabrics Part I: Fabric Production and Testing (*Assimakopoulos*) ... 452
Elastic Properties of Twill and Modified Twill Warp Knitted Elastic Fabrics Part II: Discussion and Assessment of Results (*Assimakopoulos*) ... 561
Corneanu, V. Influence of Technological Processes on Tear Strength of Finished Wools (*Popescu, Chelaru, Magrini, Pali*) ... 72
Curiskis, John I. Continuum Mechanics of the Fiber Bundle (*Carnaby*) ... 334
A Micromechanics Analysis of the Mechanical Behavior of the α-Keratin Composite at Low Strains Part I: Theoretical Formulation (*Feughelman*) ... 425
Relevance of the Tensile-to-Torsional Moduli Ratio *E/G* as a Measure of the Mechanical Anisotropy of Wool Fibers (*de Jong*) ... 509
Anisotropy of Wool (*de Jong*) ... 718

Das, D. K. A Microprocessor-Based System for Obtaining Variance-Length Curves of Jute Yarns (*Jain, Ray*) ... 372
Dasgupta, P. C. Effect of Blend Level, Fiber Type, and Caustic Concentration on the Texturization of Jute-Proplon Blended Yarns (*Gupta, Majumdar, Mathew, Sur, Roy*) 706
Datye, Keshav V. Load Elongation Properties of Filaments in a Multifilament Yarn Part II: Yarns at Various Stages of Their Manufacture (*Mishra*) ... 46
de Giorgi, Rita Solvent Effects on Short Time Dyeings of Acrylics (*Alberti, Cerniani*) ... 635
de Jong, S. Analysis of the Single Bar Warp Knitted Structure Using an Energy Minimization Technique Part I: Theoretical Development (*Hart, Postle*) ... 489
Relevance of the Tensile-to-Torsional Moduli Ratio *E/G* as a Measure of the Mechanical Anisotropy of Wool Fibers (*Curiskis*) ... 509
Analysis of the Single Bar Warp Knitted Structure Using an Energy Minimization Technique Part II: Results and Comparison with Woven and Weft Knitted Analysis (*Hart, Postle*) ... 530
Linear Viscoelasticity Applied to Wool Setting Treatments 647
Anisotropy of Wool (*Curiskis*) ... 718
Analysis of the Humidity-Time Superposition for Wool Fibers (*Wortmann*) ... 750
Dhingra, R. C. Hygral Expansion of Woven Wool Fabrics (*Postle, Mahar*) ... 28
Dircks, A. D. Importance of Boundary Friction in Measuring Bulk Compression of Loose Wool Fibers (*Young*) ... 223
Dolhan, P. A. Heat and Water Transport Through Cotton and Polypropylene Underwear (*Farnworth*) ... 627
Duckett, K. E. Permeability of Soil-Geotextile Systems (*Wei, Vigo, Goswami*) ... 620
Dweltz, N. E. Influence of Macromolecular Orientation and Crystallinity on Critical Dissolution Times of Polyester Fibers (*Rao*) ... 247
Critical Dissolution Time Measurement of Mechanically Stressed Filament Yarns (*Chauhan*) ... 385
Dimensional Deformation of Filaments—An SEM Assessment (*Rao, Chauhan*) ... 484
Dynamic Mechanical Properties of Mechanically Deformed Filaments (*Chauhan*) ... 658

Eaton, James T. Prediction of Finished Relaxed Dimensions of Cotton Knits—The Starfish Project Part II: Shrinkage and the Reference State (*Heap, Greenwood, Leah, Stevens, Keher*) ... 211
Edmondson, G. K. Effect of Metal Content in 1:2 Premetallized Dyes on the Phototendering of Wool (*Benisek, Matthews*) ... 256
Eggestad, J. Effects on Flame Retardant Cotton of Laundering with Bleach (*Johnsen*) ... 1
Ellison, M. S. Tensile Properties of Aromatically and Aliphatically Modified Wool Fibers Under Alkaline Conditions as a Function of Temperature (*Zeronian*) ... 201
Effect of Mercerization on the Relation Between Single Fiber Mechanical Properties and Fine Structure for Different Cotton Species (*Aboul-Fadl, Zeronian, Kamal, Kim*) ... 461

Farnworth, B. Heat and Water Transport Through Cotton and Polypropylene Underwear (*Dolhan*) ... 627
Feughelman, M. A Micromechanics Analysis of the Mechanical Behavior of the α-Keratin Composite at Low Strains Part I: Theoretical Formulation (*Curiskis*) ... 425
Fischer, Janet J. Changes in Gram-Negative Bacteria and Endotoxin in Stored Bales of Lint (*Columbus*) ... 308
Effect of Growth Area of Cotton Varieties on Gram Negative Bacillary and Endotoxin Levels (*Jacobs*) ... 165
Fleischfresser, B. E. Shrink Resisting Wool with Synthappret BAP: The Effect of Drying Conditions (*Cook*) ... 607
Fornes, R. E. Quantitative Determination of Indole-3 Carboxyaldehyde in Aqueous Extracts of Cotton Bracts by HPLC (*Hong, Gilbert*) ... 17
Foulds, R. A. Detecting Colored Fiber Contaminants in Wool Top Using Balanced Illumination (*Chudleigh, Wong*) 233
Freeland, G. N. Sorption and Analysis of Some Nonylphenol Ethoxylate Surfactants on Wool (*Guise, Russell*) ... 358
Frick, J. G., Jr. Crimp and Resilience of Yarns in Knit Cotton ... 132
Friedman, H. L. Influence of Preadsorbed Water on Chromatographic Detention of Organic Volatiles by Cellulosic Substrates (*Miller, Meiser*) ... 726
Frost, Cynthia M. Temperature-Adaptable Fabrics (*Vigo*) 737
Frydrych, Iwona Surface Frictional Resistance of Fabrics Woven from Filament Yarns (*Żurek, Jankowiak*) ... 113

Ganguly, P. K. Crimp in Alkali-Treated Jute—Effect of Treatment Time (*Sao, Ambali*) ... 253
Effect of Treatment Time on Swelling of Jute (*Sao*) ... 376

George, W. Evolution of Fibrous Structures Within Unstable Polymeric Fluids (*Sawyer*) 415
Ghosh, S. Dimensional and Physical Characteristics of Single Jersey Fabrics (*Sharma, Gupta*) 149
Determining Heatset Temperature by Near-Infrared Reflectance Spectroscopy (*Rodgers*) 556
Gilbert, R. D. Quantitative Determination of Indole-3 Carboxyaldehyde in Aqueous Extracts of Cotton Bracts by HPLC (*Hong, Fornes*) 17
Goswami, B. C. Permeability of Soil-Geotextile Systems (*Wei, Vigo, Duckett*) 620
Goynes, Wilton R. Effects of Heat on Cotton, Polyester, and Wool Fibers in Blended Fabrics—A Scanning Electron Microscopy Study (*Trask*) 402
Greenwood, Peter F. Prediction of Finished Relaxed Dimensions of Cotton Knits—The Starfish Project Part II: Shrinkage and the Reference State (*Heap, Leah, Eaton, Stevens, Keher*) 211
Grindstaff, T. H. Improved Staple Processing Performance Through Air Charge Control 266
Grover, J. M. Configuration of Neps in Ring Spun Yarns from Manmade Fibers (*Ishtiaque*) 138
Guion, T. H. Viscosity Profiles of Printing Thickeners at High Shear Rates and Their Use in Predicting Paste Flow in Screen Printing (*Hood*) 498
Guise, G. B. Sorption and Analysis of Some Nonylphenol Ethoxylate Surfactants on Wool (*Freeland, Russell*) 358
Gulrajani, M. L. Kinetics of Bleaching Agent Decomposition in a Single-Stage Preparatory Process Part I: Hydrogen Peroxide Bleaching (*Sukumar*) 367
Optimization of a Single-Stage Preparatory Process for Cotton Using Sodium Hypochlorite (*Sukumar*) 614
Gupta, N. K. Dimensional and Physical Characteristics of Single Jersey Fabrics (*Sharma, Ghosh*) 149
Gupta, N. P. Effect of Blend Level, Fiber Type, and Caustic Concentration on the Texturization of Jute-Proplon Blended Yarns (*Majumdar, Mathew, Sur, Roy, Dasgupta*) 706

Hari, P. K. Effect of Mercerization on the Tensile Properties of Rotor Spun Yarn (*Balasubramanian, Sengupta, Chavan*) 122
Role of Moisture in the Performance of Sized Yarn (*Tewary*) 567
Reply to "Comments on 'Effect of Mercerization on the Tensile Properties of Rotor Spun Yarns' " 632
Harper, Robert J., Jr. Finishing Cotton-Wool Blends (*Mehta*) 761
Hart, K. Analysis of the Single Bar Warp Knitted Structure Using an Energy Minimization Technique Part I: Theoretical Development (*de Jong, Postle*) 489
Analysis of the Single Bar Warp Knitted Structure Using an Energy Minimization Technique Part II: Results and Comparison with Woven and Weft Knitted Analysis (*de Jong, Postle*) 530
Heap, S. Allan Prediction of Finished Relaxed Dimensions of Cotton Knits—The Starfish Project Part II: Shrinkage and the Reference State (*Greenwood, Leah, Eaton, Stevens, Keher*) 211
Herold, John Investigating the Structure of Nylon Fibers by Measuring the Diffusion Coefficient of Acid Dyes Part III: The Effect of Heatsetting on Nylon 66 Fibers (*Kobsa, Jones*) 654
Heuer, Bruria A New Approach to Reduce Sugar Content of Cotton Fibers and Its Consequence for Fiber Stickiness (*Plaut*) 263
Hirotsu, Toshihiro Incorporating Nitrogen onto the Surface of Polyester Fabrics by N_2 and Air Plasmas 323
Hojo, Nobumasa Flame Retardation of Fe(III)-Poly(vinyl Alcohol) Films (*Kurose, Miyagawa, Otsuki, Masuda, Shirai, Shimizu*) 258
Flame Retardation of Poly(vinyl Alcohol) and Poly(vinyl Chloride) Films Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Miyagawa, Otsuki, Masuda, Shirai, Shimizu*) 377
Hollies, N. R. S. Dynamic Surface Wetness of Fabrics in Relation to Clothing Comfort (*Scheurell, Spivak*) ... 394
Holmér, Ingvar Heat Exchange and Thermal Insulation Compared in Woolen and Nylon Garments During Wear Trials 511
Hong, Y. K. Quantitative Determination of Indole-3 Carboxyaldehyde in Aqueous Extracts of Cotton Bracts by HPLC (*Gilbert, Fornes*) 17
Hood, J. R. Viscosity Profiles of Printing Thickeners at High Shear Rates and Their Use in Predicting Paste Flow in Screen Printing (*Guion*) 498
Hornby, S. B. Factors Controlling Formaldehyde Release from Durable Press Cotton (*Kamath, Weber, Weigmann*) 519
Vapor Phase Sorption of Formaldehyde on Cotton and Its Role in Formaldehyde Release from Durable Press Cotton (*Kamath, Weber, Weigmann*) 589
Irreversible Chemisorption of Formaldehyde on Cotton Cellulose (*Kamath, Weigmann*) 663
Effect of pH on the Role of N-Methylol Hydrolysis in Formaldehyde Release from Durable Press Fabric (*Kamath, Bergeron, Weigmann*) 766

Ishtiaque, S. M. Configuration of Neps in Ring Spun Yarns from Manmade Fibers (*Grover*) 138

Jacobs, Robert R. Effect of Growth Area of Cotton Varieties on Gram Negative Bacillary and Endotoxin Levels (*Fischer*) 165
Jain, A. K. A Microprocessor-Based System for Obtaining Variance-Length Curves of Jute Yarns (*Das, Ray*) .. 372
Jain, D. K. Solvent (Perchloroethylene) Dyeing of Disperse Dyes on Polyester (*Shah*) 23
n-Butanol Assisted Dyeing of Acid Dyes on Nylon 66 (*Shah*) 99
Janecek, Coila M. Midwest Regional Burn Injury Study: Characteristics of Clothing-Related Burn Accidents (*Laughlin, Parkhurst, Reagan*) 285
Jankowiak, Danuta Surface Frictional Resistance of Fabrics Woven from Filament Yarns (*Żurek, Frydrych*) 113
Jiang, Hao Effect of Internal Stress on Lattice Strain in Relaxed Heat Set PET Filaments (*Zhang, Wu, Zhou, Xuan, Qian*) 387
Johnsen, A. C. Effects on Flame Retardant Cotton of Laundering with Bleach (*Eggestad*) 1
Johnson, Robert F. Design, Construction, and Use of Minnesota Woman, A Thermally Instrumented Mannequin (*Norton, Kadolph, Jordan*) 5
Johnston, A. M. Measurement of Electric Charge on Airborne Dusts in Textile Industry Workplaces (*Vincent, Jones, McLachlan*) 469
Jones, A. D. Measurement of Electric Charge on Airborne Dusts in Textile Industry Workplaces (*Vincent, Johnston, McLachlan*) 469
Jones, Carl Investigating the Structure of Nylon Fibers by Measuring the Diffusion Coefficient of Acid Dyes Part I: A Semi-Empirical, Approximate Solution to the Diffusion Equation (*Kobsa*) 573
Part II: Generalization of the Solution to Arbitrary Cross Sections (*Kobsa*) 573
Investigating the Structure of Nylon Fibers by Measuring the Diffusion Coefficient of Acid Dyes Part III: The Effect of Heatsetting on Nylon 66 Fibers (*Kobsa, Herold*) 654
Jordan, Kenneth A. Design, Construction, and Use of Minnesota Woman, A Thermally Instrumented Mannequin (*Norton, Kadolph, Johnson*) 5

Kadolph, Sara J. Design, Construction, and Use of Minnesota Woman, A Thermally Instrumented Mannequin (*Norton, Johnson, Jordan*) ... 5
Kamal, M. M. Effect of Mercerization on the Relation Between Single Fiber Mechanical Properties and Fine Structure for Different Cotton Species (*Aboul-Fadl, Zeronian, Kim, Ellison*) ... 461
Kamath, Y. K. Factors Controlling Formaldehyde Release from Durable Press Cotton (*Weber, Hornby, Weigmann*) ... 519
Vapor Phase Sorption of Formaldehyde on Cotton and Its Role in Formaldehyde Release from Durable Press Cotton (*Weber, Hornby, Weigmann*) ... 589
Irreversible Chemisorption of Formaldehyde on Cotton Cellulose (*Hornby, Weigmann*) ... 663
Effect of pH on the Role of N-Methylol Hydrolysis in Formaldehyde Release from Durable Press Fabric (*Hornby, Bergeron, Weigmann*) ... 766
Katović, Drago Determination of Iron and Copper in Textile Materials by Anodic Stripping Voltametry (*Piljac, Soljačić*) ... 20
Kavanagh, W. J. Statistical Procedures for Predicting Length Characteristics of Top from Raw Wool Measurements (*Brown, Rottenbury*) ... 143
Keher, Pauline Prediction of Finished Relaxed Dimensions of Cotton Knits—The Starfish Project Part II: Shrinkage and the Reference State (*Heap, Greenwood, Leah, Eaton, Stevens*) ... 211
Kim, E. A. New Hydrolysis Method for Total Formaldehyde Analysis in Durable Press Resins or Resin-Treated Fabrics (*Yeh, Smith*) ... 175
Kim, M. S. Effect of Mercerization on the Relation Between Single Fiber Mechanical Properties and Fine Structure for Different Cotton Species (*Aboul-Fadl, Zeronian, Kamal, Ellison*) ... 461
Kimmel, Linda B. Comparison of Properties of Cotton Yarns Produced by the DREF-3, Ring, and Open-End Spinning Methods (*Louis, Salaun*) ... 344
King, Walter D. Distribution of Crosslinks in DMDHEU-Treated Fabrics from Measurements on Warp and Fill Yarns (*Bertoniere, Rowland*) ... 77
Kobsa, Henry Investigating the Structure of Nylon Fibers by Measuring the Diffusion Coefficient of Acid Dyes Part I: A Semi-Empirical, Approximate Solution to the Diffusion Equation (*Jones*) ... 573
Part II: Generalization of the Solution to Arbitrary Cross Sections ... 573
Investigating the Structure of Nylon Fibers by Measuring the Diffusion Coefficient of Acid Dyes Part III: The Effect of Heatsetting on Nylon 66 Fibers (*Herold, Jones*) 654
Köhler, K. Evenness Testing of Continuous Filament Glass Yarns ... 13
Kottes Andrews, B. A. Fluoborates in Catalysis of Durable Press Finishing Treatments for Cotton Fabrics (*Reinhardt*) ... 363
Krishna Iyer, K. R. Bulk Resilience of Native and Chemically Treated Cottons (*Nachane, Patil*) ... 383
Kurose, Akio Flame Retardation of Fe(III)-Poly(vinyl Alcohol) Films (*Miyagawa, Otsuki, Masuda, Shirai, Shimizu, Hojo*) ... 258
Flame Retardation of Poly(vinyl Alcohol) and Poly(vinyl Chloride) Films Containing Dispersed Metal-Ethylenediamine Complexes (*Miyagawa, Otsuki, Masuda, Shirai, Shimizu, Hojo*) ... 377

Ladisch, Christine M. A New and Effective Method for Removing DMDHEU Crosslinks from Cotton (*Abhyankar, Beck, Rowland*) ... 444
Laughlin, Joan M. Midwest Regional Burn Injury Study: Characteristics of Clothing-Related Burn Accidents (*Parkhurst, Reagan, Janecek*) ... 285
Leaf, G. A. V. A Generalized Model of Plain Woven Fabric (*Anandjiwala*) ... 92
Leah, Robert D. Prediction of Finished Relaxed Dimensions of Cotton Knits—The Starfish Project Part II: Shrinkage and the Reference State (*Heap, Greenwood, Eaton, Stevens, Keher*) ... 211
Levene, Raphael Factors Affecting the Rate of Photoyellowing of Bleached and Fluorescently Whitened Wool Cloth 477
Lofquist, R. A. Hydrophilic Nylon for Improved Apparel Comfort (*Saunders, Tam, Twilley*) ... 325
Louis, Gain L. Comparison of Properties of Cotton Yarns Produced by the DREF-3, Ring, and Open-End Spinning Methods (*Salaun, Kimmel*) ... 344
Yarn Spun by Different Methods from Blends of Wool/Cotton and Wool/Polyester (*Bel*) ... 681
Lunney, H. W. M. Reference Standard Wool Tops for Measurement of Fiber Diameter Distribution (*Brown*) ... 671
Ly, Nhan G. Statistics for the Number of Fiber Ends in a Segment of a Random Assembly of Aligned Fibers (*Brown*) ... 206
A Model for Fabric Buckling in Shear ... 744

Magrini, C. Influence of Technological Processes on Tear Strength of Finished Wools (*Popescu, Chelaru, Pali, Corneanu*) ... 72
Mahar, T. J. Hygral Expansion of Woven Wool Fabrics (*Dhingra, Postle*) ... 28
Majumdar, A. Effect of Blend Level, Fiber Type, and Caustic Concentration on the Texturization of Jute-Proplon Blended Yarns (*Gupta, Mathew, Sur, Roy, Dasgupta*) 706
Mangialardi, Gino J., Jr. An Evaluation of Nep Formation at the Cotton Gin ... 756
Manich, A. Comments on "Effect of Mercerization on the Tensile Properties of Rotor Spun Yarns" (*Barella*) .. 630
Masuda, Etsuko Flame Retardation of Fe(III)-Poly(vinyl Alcohol) Films (*Kurose, Miyagawa, Otsuki, Shirai, Shimizu, Hojo*) ... 258
Flame Retardation of Poly(vinyl Alcohol) and Poly(vinyl Chloride) Films Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Miyagawa, Otsuki, Shirai, Shimizu, Hojo*) ... 377
Mathew, M. D. Effect of Blend Level, Fiber Type, and Caustic Concentration on the Texturization of Jute-Proplon Blended Yarns (*Gupta, Majumdar, Sur, Roy, Dasgupta*) 706
Matsuo, Masaru Dependence of Thermal Crystallization of Poly(ethylene Terephthalate) on Active Mobility of Amorphous Chain Segments (*Sawatari*) ... 547
Matthews, J. W. A. Effect of Metal Content in 1:2 Premetallized Dyes on the Phototendering of Wool (*Benisek, Edmondson*) ... 256
McLachlan, C. Q. Measurement of Electric Charge on Airborne Dusts in Textile Industry Workplaces (*Vincent, Johnston, Jones*) ... 469
Mehta, Parvez Finishing Cotton-Wool Blends (*Harper*) ... 761
Mehta, R. D. A Rapid Method for Determining Cotton/Polyester Blend Levels ... 259
Meiser, C. H., Jr. Influence of Preadsorbed Water on Chromatographic Detention of Organic Volatiles by Cellulosic Substrates (*Friedman, Miller*) ... 726
Melhuish, W. H. Fluorescence and Phosphorescence of Wool Keratin Excited by UV-A Radiation (*Smith*) ... 304
Midorikawa-Tsurutani, T. Effects of Hygroscopically Treated Polyester Blouses on Sweating Rates of Sedentary Women at 33°C (*Tokura*) ... 178
Miller, Bernard Physicochemical Properties of Sized Yarns Part II: Two-Component Sizing Systems (*Slauson, Rebenfeld*) ... 181

Influence of Preadsorbed Water on Chromatographic Detention of Organic Volatiles by Cellulosic Substrates (*Friedman, Meiser*) 726
Mishra, Sachi Load Elongation Properties of Filaments in a Multifilament Yarn Part II: Yarns at Various Stages of Their Manufacture (*Datye*) 46
Miyagawa, Kazuko Flame Retardation of Fe(III)-Poly(vinyl Alcohol) Films (*Kurose, Otsuki, Masuda, Shirai, Shimizu, Hojo*) 258
Flame Retardation of Poly(vinyl Alcohol) and Poly(vinyl Chloride) Films Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Otsuki, Masuda, Shirai, Shimizu, Hojo*) 377
Mooney, C. L. Effect of Salt Spray on the Rate of Water Vapor Transmission in Microporous Fabrics (*Schwartz*) 449
Mukhopadhyay, A. K. Jute Fibers Under Scanning Electron Microscopy (*Bandyopadhyay, Mukhopadhyay*) 733
Mukhopadhyay, U. Jute Fibers Under Scanning Electron Microscopy (*Mukhopadhyay, Bandyopadhyay*) 733

Nachane, R. P. Bulk Resilience of Native and Chemically Treated Cottons (*Krishna Iyer, Patil*) 383
Neelakantan, P. Using Roving Load-Elongation Curve Measurements to Characterize Polyester Fibers for Yarn Irregularity (*Aggarwal*) 136
Nigam, J. K. Effect of Corona and Oxidation Pretreatments on Grafting in Wool Fabric (*Bhalla, Pillai*) 254
Norton, Marjorie J. T. Design, Construction, and Use of Minnesota Woman, A Thermally Instrumented Mannequin (*Kadolph, Johnson, Jordan*) 5

Obendorf, S. K. Distribution of Residual Pesticide Within Textile Structures as Determined by Electron Microscopy (*Solbrig*) 540
Olsen, N. Stability of a Borax-Based Smolder Retardant Finish for Cotton Upholstery Fabrics (*Cheek, Wilcock*) 271
Orwin, Donald F. G. Cellular Debris in the Grease of Wool Fibers (*Woods*) 84
Otani, Mamiko Work of Adhesion of Oily Dirt and Correlation with Washability (*Saito, Yabe*) 157
Surface Energy Analysis of the Detergency Process—Surface Tension Components of Binary Mixtures of Organic Liquids and Aqueous Solutions of Surfactants (*Saito, Yabe*) 582
Otsuki, Mutsuko Flame Retardation of Fe(III)-Poly(vinyl Alcohol) Films (*Kurose, Miyagawa, Masuda, Shirai, Shimizu, Hojo*) 258
Flame Retardation of Poly(vinyl Alcohol) and Poly(vinyl Chloride) Films Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Miyagawa, Masuda, Shirai, Shimizu, Hojo*) 377

Padmanaban, M. Dyeing Behavior of Poly(acrylonitrile-CO-Haloalkyl Acrylate/Methacrylate) Fibers (*Bajaj*) 352
Pali, S. Influence of Technological Processes on Tear Strength of Finished Wools (*Popescu, Chelaru, Magrini, Corneanu*) 72
Pandey, S. N. A New Catalyst System for Improved Durable Press Properties of Cotton Fabric (*Raje*) 125
Migration of Crosslinking Reagents in Cotton/Terene Blended Fabric During Resin Finishing (*Raje*) 694
Paralikar, K. M. A New Method for Reducing the Stickiness of Cotton (*Balasubramanya, Bhatawdekar*) 227
Parkhurst, Anne M. Midwest Regional Burn Injury Study: Characteristics of Clothing-Related Burn Accidents (*Laughlin, Reagan, Janecek*) 285
Patil, N. B. Bulk Resilience of Native and Chemically Treated Cottons (*Krishna Iyer, Nachane*) 383
Perkins, Warren S. Effect of Sizing Wax on Tensile Properties, Abrasion Resistance, and Weaving Performance of Polyester/Cotton Yarn Sized with Polyvinyl Alcohol (*Walker*) 667
Phillips, D. G. Detecting a Glass Transition in Wool by Differential Scanning Calorimetry 171
Piljac, Ivan Determination of Iron and Copper in Textile Materials by Anodic Stripping Voltametry (*Katović, Soljačić*) 20
Pillai, P. K. C. Effect of Corona and Oxidation Pretreatments on Grafting in Wool Fabric (*Bhalla, Nigam*) 254
Plaut, Z. A New Approach to Reduce Sugar Content of Cotton Fibers and Its Consequence for Fiber Stickiness (*Heuer*) 263
Popescu, C. Influence of Technological Processes on Tear Strength of Finished Wools (*Chelaru, Magrini, Pali, Corneanu*) 72
Postle, R. Hygral Expansion of Woven Wool Fabrics (*Dhingra, Mahar*) 28
Analysis of the Single Bar Warp Knitted Structure Using an Energy Minimization Technique Part I: Theoretical Development (*Hart, de Jong*) 489
Analysis of the Single Bar Warp Knitted Structure Using an Energy Minimization Technique Part II: Results and Comparison with Woven and Weft Knitted Analysis (*Hart, de Jong*) 530

Qian, Baojun Effect of Internal Stress on Lattice Strain in Relaxed Heat Set PET Filaments (*Zhang, Jiang, Wu, Zhou, Xuan*) 387

Raje, C. R. A New Catalyst System for Improved Durable Press Properties of Cotton Fabric (*Pandey*) 125
Migration of Crosslinking Reagents in Cotton/Terene Blended Fabric During Resin Finishing (*Pandey*) ... 694
Rao, M. V. S. Influence of Macromolecular Orientation and Crystallinity on Critical Dissolution Times of Polyester Fibers (*Dweltz*) 247
Dimensional Deformation of Filaments—An SEM Assessment (*Chauhan, Dweltz*) 484
Ray, P. K. A Microprocessor-Based System for Obtaining Variance-Length Curves of Jute Yarns (*Jain, Das*) .. 372
Reagan, Barbara M. Midwest Regional Burn Injury Study: Characteristics of Clothing-Related Burn Accidents (*Laughlin, Parkhurst, Janecek*) 285
Rebenfeld, Ludwig Physicochemical Properties of Sized Yarns Part II: Two-Component Sizing Systems (*Slauson, Miller*) 181
Reeves, Wilson A. Magnesium Nitrate, A Neglected Catalyst for Producing Durable Press Fabrics with Low Formaldehyde Release (*Allgood*) 191
Reinhardt, Robert M. Fluoborates in Catalysis of Durable Press Finishing Treatments for Cotton Fabrics (*Kottes Andrews*) 363
Rigby, B. J. Thiol Differences Along Keratin Fibers: Stress/Strain and Stress-Relaxation Behavior as a Function of Temperature and Extension (*Robinson*) 597
Rippon, John A. Comparing the Wrinkle Recovery of Cotton Fabrics: An Appraisal of AATCC Test Method 66-1978 103
Effect of Synthappret BAP on the Wrinkle Recovery of Uncrosslinked and Crosslinked Cotton 239
Robinson, M. S. Thiol Differences Along Keratin Fibers: Stress/Strain and Stress-Relaxation Behavior as a Function of Temperature and Extension (*Rigby*) ... 597
Rodgers, James E. Determining Heatset Temperature by Near-Infrared Reflectance Spectroscopy (*Ghosh*) 556

Rottenbury, R. A. Statistical Procedures for Predicting Length Characteristics of Top from Raw Wool Measurements (*Brown, Kavanagh*) 143
Rousselle, Marie-Alice Effect of Area of Growth on Condensed Tannins in Cotton Bracts 698
Rowland, Stanley P. Spreading and Imbibition of Durable Press Reagent Solutions in Cotton-Containing Fabrics (*Bertoniere*) 57
Distribution of Crosslinks in DMDHEU-Treated Fabrics from Measurements on Warp and Fill Yarns (*Bertoniere, King*) 77
A New and Effective Method for Removing DMDHEU Crosslinks from Cotton (*Abhyankar, Beck, Ladisch*) 444
Roy, D. Effect of Blend Level, Fiber Type, and Caustic Concentration on the Texturization of Jute-Proplon Blended Yarns (*Gupta, Majumdar, Mathew, Sur, Dasgupta*) 706
Russell, I. M. Sorption and Analysis of Some Nonylphenol Ethoxylate Surfactants on Wool (*Freeland, Guise*) .. 358

Saito, Masako Work of Adhesion of Oily Dirt and Correlation with Washability (*Otani, Yabe*) 157
Surface Energy Analysis of the Detergency Process—Surface Tension Components of Binary Mixtures of Organic Liquids and Aqueous Solutions of Surfactants (*Otani, Yabe*) 582
Salaun, Harold L. Comparison of Properties of Cotton Yarns Produced by the DREF-3, Ring, and Open-End Spinning Methods (*Louis, Kimmel*) 344
Salhotra, K. R. Effect of Strain Rate on Yarn Tenacity (*Balasubramanian*) 74
Influence of Carding Technique on Yarn Tenacity Response to Increasing Rotor Speed (*Balasubramanian*) 381
Sao, K. P. Crimp in Alkali-Treated Jute—Effect of Treatment Time (*Ganguly, Ambali*) 253
Effect of Treatment Time on Swelling of Jute (*Ganguly*) 376
Saunders, P. R. Hydrophilic Nylon for Improved Apparel Comfort (*Lofquist, Tam, Twilley*) 325
Sawatari, Chie Dependence of Thermal Crystallization of Poly(ethylene Terephthalate) on Active Mobility of Amorphous Chain Segments (*Matsuo*) 547
Sawyer, L. Evolution of Fibrous Structures Within Unstable Polymeric Fluids (*George*) 415
Scheurell, D. M. Dynamic Surface Wetness of Fabrics in Relation to Clothing Comfort (*Spivak, Hollies*) 394
Schwartz, P. Effect of Salt Spray on the Rate of Water Vapor Transmission in Microporous Fabrics (*Mooney*) 449
Sengupta, A. K. Effect of Mercerization on the Tensile Properties of Rotor Spun Yarn (*Hari, Balasubramanian, Chavan*) 122
Shah, C. D. Solvent (Perchloroethylene) Dyeing of Disperse Dyes on Polyester (*Jain*) 23
n-Butanol Assisted Dyeing of Acid Dyes on Nylon 66 (*Jain*) 99
Shahin, M. M. Optical Anisotropy in Ramie Fibers (*Sokkar*) 139
Sharma, I. C. Dimensional and Physical Characteristics of Single Jersey Fabrics (*Ghosh, Gupta*) 149
Shaw, Dale L. Comparison of Yarn Costs Between Standard and Washed Cottons (*Bargeron*) 299
Shimizu, Fukashi Flame Retardation of Fe(III)-Poly(vinyl Alcohol) Films (*Kurose, Miyagawa, Otsuki, Masuda, Shirai, Hojo*) 258
Flame Retardation of Poly(vinyl Alcohol) and Poly(vinyl Chloride) Films Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Miyagawa, Otsuki, Masuda, Shirai, Hojo*) 377
Shirai, Hirofusa Flame Retardation of Fe(III)-Poly(vinyl Alcohol) Films (*Kurose, Miyagawa, Otsuki, Masuda, Shimizu, Hojo*) 258
Flame Retardation of Poly(vinyl Alcohol) and Poly(vinyl Chloride) Films Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Miyagawa, Otsuki, Masuda, Shimizu, Hojo*) 377
Slauson, Sherilyn D. Physicochemical Properties of Sized Yarns Part II: Two-Component Sizing Systems (*Miller, Rebenfeld*) 181
Smith, B. F. New Hydrolysis Method for Total Formaldehyde Analysis in Durable Press Resins or Resin-Treated Fabrics (*Kim, Yeh*) 175
Extending Applicable Ranges of Regression Equations for Yarn Strength Forecasting (*Waters*) 713
Smith, G. J. Fluorescence and Phosphorescence of Wool Keratin Excited by UV-A Radiation (*Melhuish*) 304
Sokkar, T. Z. N. Optical Anisotropy in Ramie Fibers (*Shahin*) 139
Solbrig, C. M. Distribution of Residual Pesticide Within Textile Structures as Determined by Electron Microscopy (*Obendorf*) 540
Soljačić, Ivo Determination of Iron and Copper in Textile Materials by Anodic Stripping Voltametry (*Katović, Piljac*) 20
Spivak, S. M. Dynamic Surface Wetness of Fabrics in Relation to Clothing Comfort (*Scheurell, Hollies*) 394
Stevens, Jill C. Prediction of Finished Relaxed Dimensions of Cotton Knits—The Starfish Project Part II: Shrinkage and the Reference State (*Heap, Greenwood, Leah, Eaton, Keher*) 211
Sukumar, N. Kinetics of Bleaching Agent Decomposition in a Single-Stage Preparatory Process Part I: Hydrogen Peroxide Bleaching (*Gulrajani*) 367
Optimization of a Single-Stage Preparatory Process for Cotton Using Sodium Hypochlorite (*Gulrajani*) 614
Sur, D. Effect of Blend Level, Fiber Type, and Caustic Concentration on the Texturization of Jute-Proplon Blended Yarns (*Gupta, Majumdar, Mathew, Roy, Dasgupta*) 706

Tam, T. Y. Hydrophilic Nylon for Improved Apparel Comfort (*Lofquist, Saunders, Twilley*) 325
Tewary, A. Role of Moisture in the Performance of Sized Yarn (*Hari*) 567
Thompson, Barbara Distribution of Fiber Diameter Within Sale Lots of Australian Greasy Wool Part II: Coarse Edge Statistics (*Whiteley*) 107
Tokura H. Effects of Hygroscopically Treated Polyester Blouses on Sweating Rates of Sedentary Women at 33°C (*Midorikawa-Tsurutani*) 178
Trask, Brenda J. Effects of Heat on Cotton, Polyester, and Wool Fibers in Blended Fabrics—A Scanning Electron Microscopy Study (*Goynes*) 402
Trbojević-Gobac, S. Gamma Radiation-Induced Graft Copolymerization of N-Vinylpyrrolidone onto Polyester Fabric 320
Twilley, I. C. Hydrophilic Nylon for Improved Apparel Comfort (*Lofquist, Saunders, Tam*) 325

Vigo, T. L. Permeability of Soil-Geotextile Systems (*Wei, Goswami, Duckett*) 620
Temperature-Adaptable Fabrics (*Frost*) 737
Vincent, J. H. Measurement of Electric Charge on Airborne Dusts in Textile Industry Workplaces (*Johnston, Jones, McLachlan*) 469

Walker, Robert P. Effect of Sizing Wax on Tensile Properties, Abrasion Resistance, and Weaving Performance of Polyester/Cotton Yarn Sized with Polyvinyl Alcohol (*Perkins*) 667

Ward, Truman L. Testing Based on Wettability to Differentiate Washed and Unwashed Cotton Fibers (*Benerito*) ... 40
Objective Differentiation of Washed and Unwashed Cottons by Thermal Analyses (*Calamari, Benerito*) 186
Warner, J. J. Dirt Recovery from Wool-Scouring Effluent by Decanter Centrifuge 133
Waters, Bill Extending Applicable Ranges of Regression Equations for Yarn Strength Forecasting (*Smith*) ... 713
Weber, R. U. Factors Controlling Formaldehyde Release from Durable Press Cotton (*Kamath, Hornby, Weigmann*) 519
Vapor Phase Sorption of Formaldehyde on Cotton and Its Role in Formaldehyde Release from Durable Press Cotton (*Kamath, Hornby, Weigmann*) 589
Wei, K. Y. Permeability of Soil-Geotextile Systems (*Vigo, Goswami, Duckett*) 620
Weigmann, H.-D. Factors Controlling Formaldehyde Release from Durable Press Cotton (*Kamath, Weber, Hornby*) 519
Vapor Phase Sorption of Formaldehyde on Cotton and Its Role in Formaldehyde Release from Durable Press Cotton (*Kamath, Weber, Hornby*) 589
Irreversible Chemisorption of Formaldehyde on Cotton Cellulose (*Kamath, Hornby*) 663
Effect of pH on the Role of N-Methylol Hydrolysis in Formaldehyde Release from Durable Press Fabric (*Kamath, Hornby, Bergeron*) 766
Werny, Frank Correlation of Subjective Carpet Luster with Specular Reflectance 686
Whiteley, K. J. Distribution of Fiber Diameter Within Sale Lots of Australian Greasy Wool Part II: Coarse Edge Statistics (*Thompson*) 107
Wilcock, A. Stability of a Borax-Based Smolder Retardant Finish for Cotton Upholstery Fabrics (*Cheek, Olsen*) 271
Wilkes, James M. Theory of the Interferometric Determination of the Refractive Indices of Multiple-Index Fibers Having Irregular Transverse Cross Sections 601
Derivation of a Formula Used to Interpret Interferometric Data on Fibers of Irregular Transverse Cross Section 712
Williams, V. A. A Kinetic Model for Pilling of Wool Knitwear 312
Wong, P. Detecting Colored Fiber Contaminants in Wool Top Using Balanced Illumination (*Chudleigh, Foulds*) 233
Woods, Joy L. Cellular Debris in the Grease of Wool Fibers (*Orwin*) 84
Wortmann, F.-J. Analysis of the Humidity-Time Superposition for Wool Fibers (*de Jong*) 750
Wray, G. R. Comments on "Stability of Air Textured Yarns" 633
Wu, Chengxun Effect of Internal Stress on Lattice Strain in Relaxed Heat Set PET Filaments (*Zhang, Jiang, Zhou, Xuan, Qian*) 387

Xuan, Liang Effect of Internal Stress on Lattice Strain in Relaxed Heat Set PET Filaments (*Zhang, Jiang, Wu, Zhou, Qian*) 387

Yabe, Akihiko Work of Adhesion of Oily Dirt and Correlation with Washability (*Saito, Otani*) 157
Surface Energy Analysis of the Detergency Process—Surface Tension Components of Binary Mixtures of Organic Liquids and Aqueous Solutions of Surfactants (*Otani, Saito*) 582
Yeh, K. New Hydrolysis Method for Total Formaldehyde Analysis in Durable Press Resins or Resin-Treated Fabrics (*Kim, Smith*) 175
Young, M. D. Importance of Boundary Friction in Measuring Bulk Compression of Loose Wool Fibers (*Dircks*) ... 223

Zeronian, S. H. Tensile Properties of Aromatically and Aliphatically Modified Wool Fibers Under Alkaline Conditions as a Function of Temperature (*Ellison*) 201
Effect of Mercerization on the Relation Between Single Fiber Mechanical Properties and Fine Structure for Different Cotton Species (*Aboul-Fadl, Kamal, Kim, Ellison*) 461
Zhang, Anqiu Effect of Internal Stress on Lattice Strain in Relaxed Heat Set PET Filaments (*Jiang, Wu, Zhou, Xuan, Qian*) 387
Zhou, Linyang Effect of Internal Stress on Lattice Strain in Relaxed Heat Set PET Filaments (*Zhang, Jiang, Wu, Xuan, Qian*) 387
Żurek, Witold Surface Frictional Resistance of Fabrics Woven from Filament Yarns (*Jankowiak, Frydrych*) 113

SUBJECT INDEX

Abrasion
- **resistance of crosslinked cotton:** effect of Synthappret BAP on wrinkle recovery *Rippon* 239

Absorbancy
- **of hygroscopically treated polyester:** effects on sweating rates of sedentary women at 33°C *Tokura, Midorikawa-Tsurutani* 178

Acrylics
- **dyeing of:** effects of solvents on short time dyeings: dyebath temperature as a factor *Alberti, Cerniani, de Giorgi* 635

Adhesion
- **of oily dirt:** work of adhesion and correlation with washability *Saito, Otani, Yabe* 157
- **of oily dirt:** work of adhesion: surface energy analysis and the detergency process: surface tension components of binary mixtures of organic liquids and aqueous solutions of surfactants *Otani, Saito, Yabe* 582

Ageing
- **humidity as a factor:** analysis of the humidity-time superposition for wool fibers: linear viscoelastic relaxation *Wortmann, de Jong* 750
- **improved wrinkle recovery:** an appraisal of AATCC test method 66-1978: comparison of treated and untreated cotton fabrics *Rippon* 103

Anisotropy
- **in fabric buckling:** a model for buckling in shear: anisotropic characteristics and tensile forces *Ly* 744
- **mechanical:** relevance of the tensile-to-torsional moduli ratio *E/G* as a measure of anisotropy of wool fibers *Curiskis, de Jong* 509
- **of wool fibers:** torsion and tensile experiments: humidity and temperature effects: two phase composite *de Jong, Curiskis* 718
- **optical properties of ramie fibers:** multiple beam Fizeau fringes *Sokkar, Shahin* 139

Apparel
- **clothing-related burn injuries:** Midwest regional study: characteristics of accidents *Laughlin, Parkhurst, Reagan, Janecek* 285
- **cotton and polypropylene thermal underwear:** heat and water transport through *Farnworth, Dolhan* 627
- **flammability of:** design, construction, and use of Minnesota Woman, a thermally instrumented mannequin *Norton, Kadolph, Johnson, Jordan* 5
- **resistance to pesticides:** determining residual pesticide distribution on clothing by electron microscopy *Solbrig, Obendorf* 540
- **waterproof:** effect of salt spray on the rate of water vapor transmission in microporous fabrics *Mooney, Schwartz* 449

Bacteria
- **enhanced microbial activity:** a new approach to reduce sugar content of cotton fibers and its consequence for fiber stickiness *Heuer, Plaut* 263
- **for reducing honeydew:** reducing stickiness in cotton by spraying with a nitrogen-fixing bacterium *Balasubramanya, Bhatawdekar, Paralikar* 227
- **gram-negative bacteria and endoxin:** effect of multiple lint cleaning of cotton *Columbus* 677
- **gram negative:** changes in bacteria and endotoxins in stored bales of lint *Columbus, Fischer* 308
- **in wool grease:** cellular debris in: possible allergens *Orwin, Woods* 84

Bending
- **behavior of yarns:** a generalized model based on bending moment *Leaf, Anandjiwala* 92
- **yarn bending rigidity:** single bar warp knit structure: analysis using energy minimization technique: results and comparison with woven and weft knitted analysis *Hart, de Jong, Postle* 530

Bleaching
- **adverse effects of heavy metals in textiles:** determining iron and copper by anodic stripping voltametry *Katović, Piljac, Soljačić* 20
- **hydrogen peroxide:** kinetics of bleaching agent decomposition in a single-stage preparatory process *Sukumar, Gulrajani* 367
- **of flame retardant cotton:** effects of laundering *Johnsen, Eggestad* 1
- **single-stage preparatory process:** sodium hypochlorite on cotton *Gulrajani, Sukumar* 614

Buckling
- **a model for fabric buckling in shear:** combined shear and tensile forces: anisotropic characteristics *Ly* 744

Burn Injury
- **clothing fire simulations:** design, construction, and use of Minnesota Woman, a thermally instrumented mannequin *Norton, Kadolph, Johnson, Jordan* 5
- **clothing-related accidents:** Midwest regional study: characteristics of accidents *Laughlin, Parkhurst, Reagan, Janecek* 285

Byssinosis
- **asbestosis and mesothelioma:** measurement of electric charge on airborne dusts in textile industry workplaces *Vincent, Johnston, Jones, McLachlan* 469
- **eliminating agent by washing cotton:** comparison of yarn costs between standard and washed cottons: OSHA dust standard *Bargeron, Shaw* 299
- **from condensed tannins in bracts:** effect of area of growth on levels *Rousselle* 698
- **from cotton plant parts:** quantitative determination of indole-3 carboxyaldehyde in aqueous extracts of cotton bracts by HPLC *Hong, Gilbert, Fornes* 17
- **from lint foreign matter and dust:** response to gin machinery: moisture as a factor *Anthony* 640
- **from washed and unwashed cottons:** objective differentiation by thermal analysis *Ward, Calamari, Benerito* 186
- **gram negative bacteria:** changes in bacteria and endotoxin in stored bales of cotton lint *Columbus, Fischer* ... 308
- **gram negative bacteria and endoxin:** effect of multiple lint cleaning of cotton *Columbus* 677
- **symptoms reduced by washed cottons:** wettability as a test for washed and unwashed cottons *Ward, Benerito* 40
- **toxins in cotton varieties:** effect of growth area of cotton varieties on gram negative bacillary and endotoxin levels *Fischer, Jacobs* 165

Carding
- **influence of technique** on yarn tenacity response to increased rotor speed *Salhotra, Balasubramanian* 381

Carpets
- **subjective luster:** correlation with specular reflectance from light scattering measurements *Werny* 686

Carpet Yarns
- **effect of heat setting on nylon 66 fibers:** investigating the structure of nylon fibers by measuring the diffusion coefficient of acid dyes *Kobsa, Herold, Jones* 654
- **nylon 6 and 66 yarns:** determining heatset temperature by near-infrared reflectance spectroscopy *Ghosh, Rodgers* 556
- **nylon with arbitrary cross sections:** investigating the structure of nylon fibers by measuring the diffusion coefficient of acid dyes: semi-empirical, approximate so-

lution to the diffusion equation: generalization of the solution to arbitrary cross sections *Kobsa, Jones* ... 573
Catalysts
in DP finishing: fluoborates in catalysis of DP treatments for cotton fabrics *Kottes Andrews, Reinhardt* 363
Cellulosics
as selective adsorbers for organic volatiles: influence of preadsorbed water on chromatographic detention of volatiles *Friedman, Miller, Meiser* 726
grasicrimp yarns: dimensional and physical characteristics of single jersey fabrics *Sharma, Ghosh, Gupta* 149
Chromatography
high performance liquid: quantitative determination of indole-3 carboxyaldehyde in aqueous extracts of cotton bracts *Hong, Gilbert, Fornes* 17
high pressure liquid: sorption and analysis of some nonylphenol ethoxylate surfactants on *Freeland, Guise, Russell* 358
to measure detention of organic volatiles: influence of preadsorbed water: cellulosic substrates *Friedman, Miller, Meiser* 726
Comfort
improved nylon hydrophilicity: better apparel comfort using graft copolymerization *Lofquist, Saunders, Tam, Twilley* 325
improved polyester hydrophilicity: gamma radiation induced graft copolymerization of N-vinylpyrrolidone onto polyester fabric *Trbojević-Gobac* 320
improved wetting behavior of polyester: incorporating nitrogen onto the surface of polyester fabrics by N_2 and air plasmas *Hirotsu* 323
moisture transport of clothing: dynamic surface wetness of fabrics *Scheurell, Spivak, Hollies* 394
of hygroscopically treated polyester: effects on sweating rates of sedentary women at 33°C *Tokura, Midorikawa-Tsurutani* 178
Composite Materials
α-keratin, boron epoxy, and glass epoxy: a micromechanics analysis of mechanical behavior of composites at low strains: theoreticalformulation *Curiskis,Feughelman* 425
Compression
of loose wool fibers: importance of boundary friction in measuring bulk compression *Young, Dircks* 223
Computers
to obtain variance length curves: a microprocessor-based system: jute evenness tested *Jain, Das, Ray* 372
Contaminants
in grease of wool fibers: cellular debris: possible allergens *Orwin, Woods* 84
in wool top: detecting colored fiber contaminants using balanced illumination *Chudleigh, Foulds, Wong* 233
Copolymerization
by grafting of N-vinylpyrrolidone: gamma radiation induced grafting onto polyester fabric *Trbojević-Gobac* 320
for improved nylon hydrophilicity: graft copolymerization: economically viable *Lofquist, Saunders, Tam, Twilley* 325
Copolymers
dyeing of: dyeing behavior of poly(acrylonitrile-CO-haloalkylacrylate/methacrylate)fibers *Bajaj, Padmanaban* 352
Corona Treatment
of wool fabric: effect of corona and oxidation pretreatments on grafting *Bhalla, Nigam, Pillai* 254
Cost-Benefit Analysis
of washed cottons: comparison of yarn costs between standard and washed cottons: OSHA dust standard and byssinotic agent *Bargeron, Shaw* 299
Cotton
and polyester blends: a rapid method for determining blend levels *Mehta* 259
and polyester blend yarns: effect of sizing wax on tensile properties, abrasion resistance, and weaving performance: sized with polyvinyl alcohol *Walker, Perkins* 667
and polypropylene thermal underwear: heat and water transport through *Farnworth, Dolhan* 627
bracts: quantitative determination of indole-3 carboxyaldehyde in aqueous extracts by HPLC *Hong, Gilbert, Fornes* 17
bulk resilience of: native and chemically treated cottons: hand *Krishna Iyer, Nachane, Patil* 383
condensed tannins in bracts: effect of area of growth on levels of possible byssinotic agents *Rousselle* 698
flame retardent: effects of laundering with bleach *Johnsen, Eggestad* 1
gram negative bacteria and endotoxin in: changes in levels in stored bales of lint *Columbus, Fischer* 308
mechanical properties of different species: effect of mercerization on relation between single fiber mechanical properties and fine structure *Aboul-Fadl, Zeronian, Kamal, Kim, Ellison* 461
nep formation at the gin: an analysis of moisture content, processing rate, and gin type *Mangialardi* 756
wettability of fibers: testing based on washed and unwashed fibers *Ward, Benerito* 40
Cotton Dust
and dusts of jute, flax, glass, and asbestos: measurement of electric charge on airborne dusts in textile industry workplaces *Vincent, Johnston, Jones, McLachlan* .. 469
and lint foreign material: response to gin machinery: moisture as a factor *Anthony* 640
Cotton Fabrics
and polyester blends: dynamic surface wetness of fabrics in relation to clothing comfort *Scheurell, Spivak, Hollies* 394
blended with wool: finishing of: applying crosslinking agents and polymers *Harper, Mehta* 761
cotton/terene blends: migration of crosslinking reagents during resin finishing *Pandey, Raje* 694
durable press: distribution of crosslinks in DMDHEU treatment from measurements on warp and fill yarns *Bertoniere, King, Rowland* 77
durable press: magnesium nitrate, a neglected catalyst for producing DP fabrics with low formaldehyde release *Reeves, Allgood* 191
durable press finishing of: spreading and imbibition of DP reagent solutions in cotton blends: effects on textile performance *Bertoniere, Rowland* 57
durable press: fluoroborates in catalysis of DP finishing treatments *Kottes Andrews, Reinhardt* 363
durable press resins or resin-treated fabrics: new hydrolysis method for total formaldehyde analysis *Kim, Yeh, Smith* 175
factors controlling formaldehyde release from: physical sorption and chemical equilibria *Kamath, Weber, Hornby, Weigmann* 519
flame retardancy of: blends of cotton with polyester and wool: effects of heat: SEM study *Goynes, Trask* 402
release of formaldehyde from: effect of pH and role of N-methylol hydrolysis *Kamath, Hornby, Bergeron, Weigmann* 766
formaldehyde release from: vapor phase sorption of formaldehyde on cotton and its role in formaldehyde release from DP cotton *Kamath, Weber, Hornby, Weigmann* 589
hydrogen peroxide bleaching of: kinetics of bleaching agent decomposition in a single-stage preparatory process *Sukumar, Gulrajani* 367
improved durable press: a new catalyst system using DMDHEU *Pandey, Raje* 125
irreversible chemisorption of formaldehyde on cellulose: as applied to DP finishing: effect of temperature *Kamath, Hornby, Weigmann* 663

knit fabrics: crimp and resilience of yarns in: effect of crosslinking on crimped and straight yarns *Frick* .. 132
removing DMDHEU crosslinks: a new, effective method of boiling in N_aOH *Abhyankar, Beck, Ladisch, Rowland* 444
resistance to pesticides: residual pesticide distribution determined by electron microscopy *Solbrig, Obendorf* 540
shrinkage of knits: prediction of finished relaxed dimensions: the reference state *Heap, Greenwood, Leah, Eaton, Stevens, Keher* 211
single-stage preparatory bleaching process: optimization of sodium hypochlorite bleach *Gulrajani, Sukumar* 614
smolder resistant finish: stability of a borax-based finish for upholstery fabrics *Cheek, Wilcock, Olsen* 271
thermal storage and release fabrics: temperature-adaptable fabrics treated with plastic crystal substances *Vigo, Frost* 737
wrinkle recovery of: effect of Synthappret BAP on: crosslinked and uncrosslinked *Rippon* 239
wrinkle recovery: an appraisal of AATCC test method 66-1978: comparison of treated and untreated fabrics *Rippon* 103

Cotton, Raw
gram negative bacteria and endoxin in: effect of multiple lint cleaning *Columbus* 677
gram negative bacillary and endotoxin levels: effect of growth area of cotton varieties *Fischer, Jacobs* 165
standard and washed: comparison of yarn costs: OSHA standard and byssinotic agent *Bargeron, Shaw* 299
stickiness in: a new approach to reduce sugar content of fibers and its consequence: honeydew *Heuer, Plaut* 263
stickiness in: a new method for reducing honeydew by spraying with nitrogen-fixing bacterium *Balasubramanya, Bhatawdekar, Paralikar* 227
washed and unwashed: objective differentiation by thermal analysis: byssinosis *Ward, Calamari, Benerito* ... 186

Cotton Yarns
produced by various spinning methods: comparison of yarns produced by DREF-3, ring, and open-end spinning *Louis, Salaun, Kimmel* 344
rotor spun yarns: effect of mercerization on tensile properties of: comments on *Barella, Manich* 630
rotor spun yarns: effect of mercerization on tensile properties of: reply to comments *Hari* 632
sized with starch-based recipe: role of moisture in performance *Hari, Tewary* 567
tenacity of: effect of mercerization on the tensile properties of rotor spun yarn *Hari, Balasubramanian, Sengupta, Chavan* 122
tenacity of: effects of strain rate on *Balasubramanian, Salhotra* 74
yarn strength forecasting: extending applicable ranges of regression equations *Smith, Waters* 713

Crimp
in alkali-treated jute: effect of treatment time *Ganguly, Sao, Ambali* 253
of jute: effect of treatment time on swelling *Ganguly, Sao* 376
of woven wool: hygral expansion of plain-weave outerwear wool yarns and fabrics *Dhingra, Postle, Mahar* 28

Crimped Yarns
plain cotton jersey: crimp and resilience in knit cotton *Frick* 132

Crosslinking
distribution: measurements of warp and fill yarns in DMDHEU-treated cotton fabrics *Bertoniere, King, Rowland* 77
DMDHEU as reagent: new catalyst system for improved durable press properties of cotton fabric *Pandey, Raje* 125
removing DMDHEU crosslinks from cotton: a new, effective method of boiling in N_aOH *Abhyankar, Beck, Ladisch, Rowland* 444
factors controlling formaldehyde release from DP cotton: physical sorption and chemical equilibria *Kamath, Weber, Hornby, Weigmann* 519

Cross-Sectional Areas
arbitrary cross sections of nylon carpet yarns: investigating the structure of nylon fibers by measuring the diffusion coefficient of acid dyes: semi-empirical, approximate solution to the diffusion equation *Kobsa, Jones* ... 573
fibers of irregular transverse cross section: derivation of a formula used to interpret interferometric data *Wilkes* 712
of multiple-index fibers: irregular transverse cross sections: theory of interferometric determination of the refractive indices of multiple index fibers *Wilkes* 601

Crystallinity
and macromolecular orientation: influence on critical dissolution times of polyester fibers *Rao, Dweltz* 247
of amorphous chain segments of drawn PET films: dependence of thermal crystallization on active mobility of segments *Sawatari, Matsuo* 547
of relaxed heat set PET filaments: effect of internal stress on lattice strain *Zhang, Jiang, Wu, Zhou, Xuan, Qian* 387

Deformation
of filaments: dimensional: SEM assessment of lateral deformation *Rao, Chauhan, Dweltz* 484
mechanically deformed PET: dynamic mechanical properties *Chauhan, Dweltz* 658

Density
of Indian silk: investigation of fine structure and surface morphology of preswollen fibers *Bhat, Ahirrao* 65

Detergency
work of adhesion of oily dirt and correlation with washability *Saito, Otani, Yabe* 157
surface energy analysis of the process: surface tension components of binary mixtures of organic liquids and aqueous solutions of surfactants *Otani, Saito, Yabe* 582

Detergents
distribution effects on wool whiteness: modified rinsing conditions of laboratory scoured wool *Bateup* 50

Differential Scanning Calorimetry
to detect glass transition in wool *Phillips* 171

Diffusion
diffusion coefficient of acid dyes: effect of heat setting on nylon 66 carpet yarns: investigating the structure of nylon fibers *Kobsa, Herold, Jones* 654
of acid dyes on nylon: investigating the structure of nylon fibers by measuring the diffusion coefficient of acid dyes: semi-empirical, approximate solution to the diffusion equation: generalization of the solution to arbitrary cross sections: carpet yarns *Kobsa, Jones* 573

Durable Press
cotton fabrics: distribution of crosslinks in DMDHEU treatment from measurements on warp and fill yarns *Bertoniere, King, Rowland* 77
fabrics with low formaldehyde release: magnesium nitrate, a neglected catalyst *Reeves, Allgood* 191
fluorborates in catalyst system: neutral salts in catalysis of DP finishing treatments for cotton fabrics *Kottes Andrews, Reinhardt* 363
formaldehyde release: effect of pH and role of N-methylol hydrolysis *Kamath, Hornby, Bergeron, Weigmann* 766
formaldehyde release: vapor phase sorption of formaldehyde on cotton and its role in formaldehyde release from DP cotton *Kamath, Weber, Hornby, Weigmann* 589
improved: new catalyst system using DMDHEU as crosslinking reagent on cotton fabrics *Pandey, Raje* 125
reagent solutions on cotton blends: spreading and imbibition

of DP solutions: effects on textile performance *Bertoniere, Rowland* 57
removing DMDHEU crosslinks from cotton: a new, effective method of boiling in N_aOH *Abhyankar, Beck, Ladisch, Rowland* 444
resins or resin-treated fabrics: new hydrolysis method for total formaldehyde analysis *Kim, Yeh, Smith* 175

Dust
and cotton lint foreign matter: response to gin machinery: moisture as a factor *Anthony* 640
condensed tannins in bracts: effect of area of growth on levels of possible byssinotic agents *Rousselle* 698
electric charge on: measured in textile industry workplaces: jute, flax, cotton, glass, asbestos *Vincent, Johnston, Jones, McLachlan* 469

Dyeing
of PAN fibers: dyeing behavior of poly(acrylonitrile-CO-haloalkyl acrylate/methacrylate) fibers *Bajaj, Padmanaban* 352
of wool: influence of technological processes on tear strength of finished wool: effects of scouring on dyeing *Popescu, Chelaru, Magrini, Pali, Corneanu* 72
screen printing: viscosity profiles of printing thickness at high shear rates and their use in predicting paste flow *Guion, Hood* 498
short time dyeings: solvent effects on dyeings of acrylics: dye bath temperature as a factor *Alberti, Cerniani, de Giorgi* 635

Dyes
acid dyes on nylon 66: n-butanol assisted dyeing: increased light fastness *Shah, Jain* 99
diffusion coefficient of acid dyes: used to measure structure of nylon fibers: semiempirical, approximate solution to the diffusion equation: generalization of the solution to arbitrary cross sections: carpet yarns *Kobsa, Jones* 573
disperse: solvent (perchloroethylene) dyeing on polyester *Shah, Jain* 23
on nylon carpet yarns: investigating the structure of nylon fibers by measuring the diffusion coefficient of acid dyes: effect of heat setting on nylon 66 fibers *Kobsa, Herold, Jones* 654
premetallized: effect of metal content in 1:2 dyes on the phototendering of wool *Benisek, Edmondson, Matthews* 256

Elastic Fabrics
warp knitted: elastic properties of twill and modified twill: production and testing *Cooke, Assimakopoulos* ... 452
warp knitted: elastic properties of twill and modified twill: discussion and assessment of results *Cooke, Assimakopoulos* 561

Elasticity
of wool two phase composite: anisotropy of wool: torsion and tensile experiments *de Jong, Curiskis* 718

Electrochemistry
anodic stripping voltametry: determining iron and copper in textile materials *Katović, Piljac, Soljačić* 20

Electrostatics
effect on dusts in textile industry workplaces: measurement of electric charge on airborne dusts *Vincent, Johnston, Jones, McLachlan* 469

Energy
conservation in bleaching cotton: optimization of a single-stage preparatory process using sodium hypochlorite bleach *Gulrajani, Sukumar* 614
conservation in DP finishing: spreading and imbibition of DP reagent solutions in cotton blend fabrics: effects on textile performance *Bertoniere, Rowland* 57
of compression: importance of boundary friction in measuring bulk compression of loose wool fibers *Young, Dircks* 223
minimization technique: analysis of the single bar warp knitted structure: theoretical development *Hart, de Jong, Postle* 489
minimization technique: analysis of the single bar warp knitted structure: results and comparison with woven and weft knitted analysis *Hart, de Jong, Postle* 530

Fabric Geometry
of the single bar warp knitted structure: analysis using an energy minimization technique: theoretical development *Hart, de Jong, Postle* 489
of the single bar warp knitted structure: analysis using an energy minimization technique: results and comparison with woven and weft knitted analysis *Hart, de Jong, Postle* 530

Fabric Properties
a model for fabric buckling in shear: combined shear and tensile forces: anisotropic characteristics *Ly* 744

Fabrics
plain woven: a generalized model based on yarn bending behavior *Leaf, Anandjiwala* 92
surface frictional resistance of: woven from filament yarns: Howell's characteristics *Żurek, Jankowiak, Frydrych* 113

Fatigue
and attrition of pills: polyester and blend fabrics: anchor fatigue *Cooke* 409

Felting
felting shrinkage of wool: shrink resisting with synthappret BAP: effect of drying conditions *Cook, Fleischfresser* 607
16 mil polyester monofilament: dependence of molecular weight and process conditions *Broderick* 277

Fiber Diameter
measuring with projection microscopy: reference standard wool tops for measuring fiber diameter distribution *Lunney, Brown* 671
of Australian greasy wool: distribution within sale lots: coarse edge statistics *Whiteley, Thompson* 107

Fiber Geometry
α-keratin, boron epoxy, and glass epoxy: a micromechanics analysis of mechanical behavior of composites at low strains: theoretical formulation *Curiskis, Feughelman* 425

Fiber Length
in aligned fiber assemblies: statistics for the number of fiber ends in a segment of a random fiber assembly: yarns and slivers *Brown, Ly* 206
of raw wool: statistical procedures for predicting length characteristics of top from raw wool measurements *Brown, Rottenbury, Kavanagh* 143
statistics for a random assembly of aligned fibers: moment of fiber length properties for fibers that intersect a segment of an aligned fiber assembly *Brown* 399

Fiber Properties
continuous mechanics of the fiber bundle: nonlinear constitutive behavior of fibrous assemblies *Curiskis, Carnaby* 334

Filaments
dimensional deformation: SEM assessment of lateral deformation *Rao, Chauhan, Dweltz* 484
formation in unstable polymeric fluids: evolution of fibrous structures within: thermodynamics *Sawyer, George* 415

Films
amorphous PET: dependence of thermal crystallization on active mobility of amorphous chain segments *Sawatari, Matsuo* 547
PVA and PVC: flame retardation of films containing dispersed metal-ethylenediamine complexes *Kurose, Miyagawa, Otsuki, Masuda, Shirai, Shimizu, Hojo* 377

Filtration
of soil-geotextiles: permeability of systems: evaluation of hydraulic properties *Wei, Vigo, Goswami, Duckett* 620
Finishing Agents
borax-based smolder resistant: stability of finish for cotton upholstery fabrics *Cheek, Wilcock, Olsen* 271
for cotton-wool blends: applying crosslinking agents and polymers *Harper, Mehta* 761
Flame Retardancy
of Fe(III) poly(vinyl alcohol) films: suitable for flame-resist treatment of fabrics *Kurose, Miyagawa, Otsuki, Masuda, Shirai, Shimizu, Hojo* 258
of PVA and PVC films: containing dispersed metal-ethylenediamine complexes *Kurose, Miyagawa, Otsuki, Masuda, Shirai, Shimizu, Hojo* 377
Flame Retardant
borax-based smolder resistant: stability of finish for cotton upholstery fabrics *Cheek, Wilcock, Olsen* 271
cotton: effects of laundering with bleach *Johnsen, Eggestad* 1
phosphorus-containing: effects of heat on cotton, polyester, and wool fibers in blended fabrics: SEM study *Goynes, Trask* 402
Flammability
of clothing: design, construction, and use of Minnesota Woman, a thermally instrumented mannequin *Norton, Kadolph, Johnson, Jordan* 5
of clothing: Midwest regional burn injury study: characteristics of clothing-related burn accidents *Laughlin, Parkhurst, Reagan, Janecek* 285
Fluorescence
and phosphorescence of wool keratin: excited by UV-A radiation: photo-damage *Smith, Melhuish* 304
Formaldehyde
factors controlling release from DP cotton: physical sorption and chemical equilibria *Kamath, Weber, Hornby, Weigmann* 519
irreversible chemisorption of: on cotton cellulose: as applied to DP finishing: effect of temperature *Kamath, Hornby, Weigmann* 663
low release: magnesium nitrate, a neglected catalyst for producing DP fabrics *Reeves, Allgood* 191
release from DP cotton fabric: effect of pH and role of N-methylol hydrolysis *Kamath, Hornby, Bergeron, Weigmann* 766
total analysis: new hydrolysis method for: DP resins or resin-treated fabrics *Kim, Yeh, Smith* 175
vapor phase sorption and release: role of sorption in formaldehyde release from DP cotton *Kamath, Weber, Hornby, Weigmann* 589

Geometry
bending moment: a generalized model of plain woven fabric *Leaf, Anandjiwala* 92
Geotextiles
for drainage and filtration: permeability of soil-geotextile systems: evaluation of hydraulic properties *Wei, Vigo, Goswami, Duckett* 620
Glass Yarns
continuous filament: evenness testing of linear density variations *Köhler* 13

Hand
of native and chemically treated cottons: bulk resilience *Krishna Iyer, Nachane, Patil* 383
Heat Setting
of nylon 6 and 66 carpet yarns: determining heat setting temperature by near-infrared reflectance spectroscopy *Ghosh, Rodgers* 556
Honeydew
as a cause of cotton stickiness: a new approach to reduce sugar content of cotton and its consequence for fiber stickiness *Heuer, Plaut* 263
method for reducing: spraying sticky cotton with a nitrogen-fixing bacterium *Balasubramanya, Bhatawdekar, Paralikar* 227
Human Hair
thiol differences along keratin fibers: stress/strain and stress-relaxation behavior as a function of temperature and extension *Robinson, Rigby* 597
Humidity
as a plasticizer of wool fibers: analysis of the humidity-time superposition: linear viscoelastic relaxation *Wortmann, de Jong* 750
effects on adsorbers for organic volatiles: influence of preadsorbed water on chromatographic detention of volatiles by cellulosic substrates *Friedman, Miller, Meiser* 726
role in performance of sized yarn: cotton yarn sized with starch-based recipe *Hari, Tewary* 567
use in air charge control: improved staple processing performance *Grindstaff* 266
Hydrolysis
crosslink kinetics: factors controlling formaldehyde release from DP cotton: physical sorption and chemical equilibria *Kamath, Weber, Hornby, Weigmann* 519
Hydrophilicity
improved in nylon: better apparel comfort: graft copolymerization *Lofquist, Saunders, Tam, Twilley* 326
Hydrolysis
of N-methylol to form formaldehyde: effect of pH and role of hydrolysis in formaldehyde release from DP fabrics *Kamath, Hornby, Bergeron, Weigmann* 766

Insulation
of cotton and polypropylene thermal underwear: heat and water transport through *Farnworth, Dolhan* 627
of woolen and nylon garments: heat exchange and thermal insulation compared during wear trials *Holmér* ... 511
Interferometry
data on fibers of irregular transverse cross section: derivation of a formula used to interpret data *Wilkes* .. 712
to determine refractive indices of multiple-index fibers with irregular cross sections: theory of average and separate indices *Wilkes* 601

Jamming
of the single bar warp knitted structure: analysis using an energy minimization technique *Hart, de Jong, Postle* 489
Jute
and proplon blended yarns: effect of blend level, fiber type, and caustic concentration on texturization *Gupta, Majumdar, Mathew, Sur, Roy, Dasgupta* 706
crimp with alkali treatment: effect of treatment time *Ganguly, Sao, Ambali* 253
evenness of yarns: a microprocessor-based system for obtaining variance-length curves *Jain, Das, Ray* 372
surface features: SEM study of jute fibers treated with mild alkali and acid solutions: arrangement of fibrils *Mukhopadhyay, Bandyopadhyay, Mukhopadhyay* 733
swelling of: effect of treatment time *Ganguly, Sao* 376

Keratin
α-β transition of structure: tensile properties of aromatically and aliphatically modified wool fibers under alkaline conditions as a function of temperature *Ellison, Zeronian* 201

analysis of mechanical behavior: micromechanics of α-keratin composite at low strains: theoretical formulation *Curiskis, Feughelman* ... 425
linear viscoelasticity of: applied to wool setting treatments *de Jong* ... 647
photo-damage to scoured wool: fluorescence and phosphorescence of keratin excited by UV-A radiation *Smith, Melhuish* ... 304
thiol differences along keratin fibers: stress/strain and stress-relaxation behavior as a function of temperature and extension *Robinson, Rigby* ... 597

Knitted Fabrics
from grasicrimp yarns: dimensional and physical characteristics of single jersey fabrics *Sharma, Ghosh, Gupta* 149
pilling of: a kinetic model for pilling of wool *Williams* 312
plain cotton jersey: crimp and resilience of yarns in: effect of crosslinking on *Frick* ... 132
shrinkage of cotton knits: prediction of finished relaxed dimensions: the reference state *Heap, Greenwood, Leah, Eaton, Stevens, Keher* ... 211
single bar warp knitted structure: analysis using an energy minimization technique: theoretical development *Hart, de Jong, Postle* ... 489
single bar warp knitted structure: analysis using an energy minimization technique: results and comparison with woven and weft knitted analysis *Hart, de Jong, Postle* 530
warp knitted elastic fabrics: elastic properties of twill and modified twill: production and testing *Cooke, Assimakopoulos* ... 452
warp knitted elastic fabrics: elastic properties of twill and modified twill: discussion and assessment of results *Cooke, Assimakopoulos* ... 561

Launderability
work of adhesion of oily dirt and correlation with washability *Saito, Otani, Yabe* ... 157

Laundering
with bleach: effects on flame retardant cotton *Johnsen, Eggestad* ... 1

Lightfastness
of dyed nylon 66: n-butanol assisted dyeing of acid dyes *Shah, Jain* ... 99

Linear Density
of glass yarns: evenness testing of continuous filaments *Köhler* ... 13

Lint
foreign matter and dust in: response to gin machinery: moisture as a factor *Anthony* ... 640

Luster
subjective carpet luster: correlation with specular reflectance from light scattering measurements *Werny* ... 686

Manmade Fibers
grasicrimp yarns: dimensional and physical characteristics of single jersey fabrics *Sharma, Ghosh, Gupta* ... 149

Mathematical Analysis
a model for fabric buckling: combined shear and tensile forces: anisotropic characteristics *Ly* ... 744

Mechanical Properties
of different cotton species: effect of mercerization on the relation between single fiber mechanical properties and fine structure *Aboul-Fadl, Zeronian, Kamal, Kim, Ellison* ... 461
of mechanically deformed PET: dynamic mechanical properties of filaments *Chauhan, Dweltz* ... 658
of multifilament yarns: load elongation properties of nylon and polyester at various stages of manufacture *Datye, Mishra* ... 46

Mechanics
continuum: modeling the properties of the fiber bundle *Curiskis, Carnaby* ... 334
micromechanics analysis of α-keratin: mechanical behavior of the composite at low strains: theoretical formulation *Curiskis, Feughelman* ... 425
of aligned fibers: fiber length statistics for a random assembly of aligned fibers *Brown* ... 399
of aligned fibers: statistics for the number of fiber ends in a segment of a random assembly of fibers: yarns and silvers *Brown, Ly* ... 206

Mercerization
effect on mechanical properties: relation between single fiber mechanical properties and fine structure for different cotton species *Aboul-Fadl, Zeronian, Kamal, Kim, Ellison* ... 461
effect on tensile properties: rotor spun cotton yarns *Hari, Balasubramanian, Sengupta, Chavan* ... 122
heavy metals introduced during: determining iron and copper in textile materials *Katović, Piljac, Soljačić* ... 20
of rotor spun cotton yarns: effect on tensile properties: comments on *Barella, Manich* ... 630
of rotor spun cotton yarns: effect on tensile properties: reply to comments *Hari* ... 632

Moisture
as a plasticizer of wool fibers: analysis of the humidity-time superposition: linear viscoelastic relaxation *Wortmann, de Jong* ... 750
effects on nep formation: evaluation of nep formation at the gin *Mangialardi* ... 756

Moisture Regain
of wool: hygral expansion of plain-weave outerwear yarns and fabrics *Dhingra, Postle, Mahar* ... 28

Moisture Transfer
of cotton/polyester fabrics: dynamic surface wetness of fabrics in relation to clothing comfort *Scheurell, Spivak, Hollies* ... 394
of microporous fabrics: effect of salt spray on the rate of water vapor transmission *Mooney, Schwartz* ... 449
of woolen and nylon garments: heat exchange and thermal insulation compared during wear trials *Holmér* ... 511

Monofilaments
16 mil polyester: dependence of molecular weight and process conditions *Broderick* ... 277

Morphology
of mechanically stressed polyester yarns: critical dissolution time measurement *Chauhan, Dweltz* ... 385

Morphology, Fabric
and surface frictional resistance of fabrics woven from filament yarns: Howell's characteristics *Żurek, Jankowiak, Frydrych* ... 113

Morphology, Surface
of Indian silk: investigation of fine structure of preswollen fibers *Bhat, Ahirrao* ... 65

Neps
configuration of: in ring spun yarns from polyester/viscose fibers *Grover, Ishtiaque* ... 138
formation at the gin: an analysis of moisture content, processing rate, and gin type *Mangialardi* ... 756

Nonwovens
permeability of soil-geotextile systems: evaluation of hydraulic properties *Wei, Vigo, Goswami, Duckett* ... 620

Nylon
acid dyeing of: n-butanol assisted: increased lightfastness *Shah, Jain* ... 99
air-jet textured yarns: stability of: comments on *Wray* 633
effect of heat setting on nylon 66: investigating the structure of nylon fibers by measuring the diffusion coefficient of acid dyes *Kobsa, Herold, Jones* ... 654

heat exchange and thermal insulation of: compared with woolen garments during wear trials *Holmér* 511
heat setting temperature of carpet yarns: determining with near-infrared reflectance spectroscopy *Ghosh, Rodgers* 556
improved hydrophilicity: better apparel comfort using graft copolymerization *Lofquist, Saunders, Tam, Twilley* 325
structure of fibers: investigating by measuring the diffusion coefficient of acid dyes: semi-empirical, approximate solution to the diffusion equation: generalization of the solution to arbitrary cross sections: carpet yarns *Kobsa, Jones* 573
thermal storage and release fabrics: temperature-adaptable fabrics treated with plastic crystal substances *Vigo, Frost* 737

Optical Properties
anisotropy in ramie fibers: multiple beam Fizeau fringes *Sokkar, Shahin* 139
Optics
balanced illumination: used to detect colored fiber contaminants in wool top *Chudleigh, Foulds, Wong* 233
subjective carpet luster: correlation with specular reflectance from light scattering measurements *Werny* 686
Orientation
macromolecular: and crystallinity: influence on critical dissolution times of polyester fibers *Rao, Dweltz* ... 247
of jute fibrils: SEM study of surface features *Mukhopadhyay, Bandyopadhyay, Mukhopadhyay* 733

Permeability
of soil-geotextile systems: drainage and filtration evaluations: hydraulic properties *Wei, Vigo, Goswami, Duckett* 620
Photodegradation
of wool fabrics: effect of metal content in 1:2 premetallized dyes *Benisek, Edmondson, Matthews* 256
photoyellowing of wool: factors affecting: bleached and fluorescently whitened wool cloth *Levene* 477
Pilling
attrition and fatigue: pull out/roll-up mechanism of pill growth: a cause of fiber breakdown *Cooke* 409
of wool knitwear: a kinetic model *Williams* 312
Plasma
N_2 and air: incorporating nitrogen onto the surface of polyester fabrics: improved wetting behavior *Hirotsu* 323
Pollutants
from wool-scouring effluent: dirt recovery by decanter centrifuge *Warner* 133
Polyacrylonitrile
dyeing behavior of poly(acrylonitrile-CO-haloalkyl acrylate/methacrylate) fibers *Bajaj, Padmanaban* 352
Polyester
and cotton blends: a rapid method for determining blend levels *Mehta* 259
and cotton blends: dynamic surface wetness of fabrics in relation to clothing comfort *Scheurell, Spivak, Hollies* 394
and cotton blend yarns: effect of sizing wax on tensile properties, abrasion resistance, and weaving performance: sized with polyvinyl alcohol *Walker, Perkins* 667
critical dissolution times of fibers: influence of macromolecular orientation and crystallinity *Rao, Dweltz* ... 247
dimensional deformation of filaments: SEM assessment of lateral deformation *Rao, Chauhan, Dweltz* 484
dyeing of: solvent (perchloroethylene) dyeing of disperse dyes *Shah, Jain* 23
flame retardancy of blends: effects of heat on cotton with polyester and wool: SEM study *Goynes, Trask* ... 402
graft copolymerization of: gamma radiation-induced grafting of N-vinylpyrrolidone onto polyester *Trbojević-Gobac* 320
hygroscopically treated: effects on sweating rates of sedentary women at 33°C *Tokura, Midorikawa-Tsurutani* 178
improved staple processing performance: air charge control with humidity *Grindstaff* 266
mechanically stressed filament yarns: critical dissolution time measurement *Chauhan, Dweltz* 385
neps in: configuration in ring spun yarns from polyester/viscose fibers *Grover, Ishtiaque* 138
pilling of: attrition and fatigue: 100% polyester and blend fabrics *Cooke* 409
plasma surface treatment: incorporating nitrogen onto the surface of polyester fabrics by N_2 and air plasmas: improved wetting behavior *Hirotsu* 323
resistance to pesticides: residual pesticide distribution determined by electron microscopy *Solbrig, Obendorf* 540
16 mil monofilament: dependence of molecular weight and process conditions *Broderick* 277
thermal storage and release fabrics: temperature-adaptable fabrics treated with plastic crystal substances *Vigo, Frost* 737
yarn irregularity: using roving load-elongation curve measurements to characterize *Neelakantan, Aggarwal* 136
Poly(ethylene Terephthalate)
amorphous films: dependence of thermal crystallization on active mobility of amorphous chain segments *Sawatari, Matsuo* 547
heat set filaments: effect of internal stress on lattice strain in relaxed PET filaments *Zhang, Jiang, Wu, Zhou, Xuan, Qian* 387
mechanically deformed filaments: dynamic mechanical properties *Chauhan, Dweltz* 658
Polymers
unstable polymeric fluids: evolution of fibrous structures within: thermodynamics *Sawyer, George* 415
Polypropylene
and cotton thermal underwear: heat and water transport through *Farnworth, Dolhan* 627
and jute blended yarns: effect of blend level, fiber type, and caustic concentration on texturization *Gupta, Majumdar, Mathew, Sur, Roy, Dasgupta* 706
Poly(vinyl Alcohol)
as sizing: effect of sizing wax on tensile properties, abrasion resistance, and weaving performance of polyester/cotton yarn *Walker, Perkins* 667
films: flame retardation of Fe(III) films: suitable for flame-resist treatment of fabrics *Kurose, Miyagawa, Otsuki, Masuda, Shirai, Shimizu, Hojo* 258
Printing
viscosity of thickeners: high shear rates: use in predicting paste flow in screen printing *Guion, Hood* 498
Projection Microscopy
measuring fiber diameter distribution: reference standard wool tops *Lunney, Brown* 671

Ramie
optical anisotropy in fibers: multiple beam Fizeau fringes *Sokkar, Shahin* 139
Refraction
index of refraction: derivation of a formula used to interpret interferometric data on fibers of irregular transverse cross section *Wilkes* 712
refractive indices of multiple index fibers: theory of interferometric determination: fibers with irregular transverse cross sections *Wilkes* 601
Resin Finishing
durable press resins or resin-treated fabrics: new hydrolysis

method for total formaldehyde analysis *Kim, Yeh, Smith* 175
migration of crosslinking reagents: cotton/terene blended fabric *Pandey, Raje* 694

Scanning Electron Microscopy
of jute: surface features and fibrillar arrangements *Mukhopadhyay, Bandyopadhyay, Mukhopadhyay* 733
Scouring
of wool: effect of modified rinsing conditions on whiteness of laboratory scoured wool *Bateup* 50
of wool: dirt recovery from effluent by decanter centrifuge *Warner* 133
of wool: influence of technological processes on tear strength of finished wool: effects of scouring, dyeing *Popescu, Chelaru, Magrini, Pali, Corneanu* 72
Shrinkage
modulus of PET filaments: effect of internal stress on lattice strain in relaxed heat set PET filaments *Zhang, Jiang, Wu, Zhou, Xuan, Qian* 387
of cotton knits: prediction of finished relaxed dimensions: the reference state *Heap, Greenwood, Leah, Eaton, Stevens, Keher* 211
Shrinkproofing
the chlorine-Hercosett® process: mechanism of adhesion in: effect of sulphite stage *Brooks* 379
treating wool with Synthappret BAP: effect of drying conditions on adhesion between wool and polymer *Cook, Fleischfresser* 607
Silk
Indian: investigation of fine structure and morphology of preswollen fibers *Bhat, Ahirrao* 65
Sizing
as it affects the bleaching process: kinetics of bleaching agent decomposition in a single-stage preparatory process: hydrogen peroxide *Sukumar, Gulrajani* 367
cotton yarn sized with starch-based recipe: role of moisture in performance *Hari, Tewary* 567
polyvinyl alcohol: effect of sizing wax on tensile properties, abrasion resistance, and weaving performance of polyester/cotton yarn *Walker, Perkins* 667
two-component systems: physicochemical properties of sized yarns *Slauson, Miller, Rebenfeld* 181
Slivers
continuum mechanics of: modeling the properties of the fiber bundle *Curiskis, Carnaby* 334
Softeners
in resin finishing: migration of crosslinking reagents in cotton/terene blended fabric *Pandey, Raje* 694
Solvents
effect on short time dyeings: acrylics: dyebath temperature as a factor *Alberti, Cerniani, de Giorgi* 635
perchloroethylene: dyeing of disperse dyes on polyester *Shah, Jain* 23
Sorption
irreversible chemisorption of formaldehyde: cotton cellulose: as applied to DP finishing: effect of temperature *Kamath, Hornby, Weigmann* 663
of formaldehyde on DP cotton: vapor phase sorption and its role in formaldehyde release from DP cotton *Kamath, Weber, Hornby, Weigmann* 589
Spectroscopy
near-infrared reflectance: determining heat setting temperature of nylon 6 and 66 carpet yarns *Ghosh, Rodgers* 556
Spinning
as it affects mechanical properties: load elongation properties of filaments in multifilament nylon and polyester yarns at various stages of their manufacture *Datye, Mishra* 46
Spinning Methods
as they affect yarn properties: comparison of cotton yarns produced by DREF-3, ring, and open-end spinning *Louis, Salaun, Kimmel* 344
of wool blends with cotton and polyester: yarn properties discussed *Louis, Bel* 681
Static Electricity
air charge control: improved staple processing performance *Grindstaff* 266
Statistical Methods
determining diffusion coefficients by measuring dyeing rates: investigating the structure of nylon fibers by measuring the diffusion coefficient of acid dyes: semiempirical, approximate solution to the diffusion equation: generalization of the solution to arbitrary cross sections: carpet yarns *Kobsa, Jones* 573
distribution of fiber diameter: within sale lots of Australian greasy wool: coarse edge statistics *Whiteley, Thompson* 107
formulas for moments of fiber length properties: statistics for a random assembly of aligned fibers *Brown* 399
for number of fiber ends in a segment of a random assembly of aligned fibers: yarns and silvers *Brown, Ly* 206
multiple regression analysis: extending applicable ranges for yarn strength forecasting *Smith, Waters* 713
predicting wool top length characteristics from raw wool measurements: regression and cross-validation *Brown, Rottenbury, Kavanagh* 143
Strain
effect on tenacity: strain rate effect on cotton yarns *Balasubramanian, Salhotra* 74
stress/strain and stress-relaxation in keratin: a function of temperature and extension: thiol differences along keratin fibers *Robinson, Rigby* 597
Stretch Fabrics
warp knitted elastic fibers: elastic properties of twill and modified twill: production and testing *Cooke, Assimakopoulos* 452
warp knitted elastic fabrics: elastic properties of twill and modified twill: discussion and assessment of results *Cooke, Assimakopoulos* 561
Surface Resistance
frictional resistance of fabrics woven from filament yarns: Howell's characteristics *Żurek, Jankowiak, Frydrych* 113
Surfactants
as part of multicomponent washing liquids: surface tension components of binary mixtures of organic liquids and aqueous solutions of surfactants: surface energy analysis of the process *Otani, Saito, Yabe* 582
nonionic on wool: sorption and analysis of some nonylphenol ethoxylate surfactants *Freeland, Guise, Russell* 358

Tenacity
of rotor spun yarn: effect of mercerization on tensile properties of cotton yarns *Hari, Balasubramanian, Sengupta, Chavan* 122
Tensile Properties
anisotropy of wool: torsion and tensile experiments at various humidities and temperatures: two phase composite *de Jong, Curiskis* 718
of blend yarns sized with polyvinyl alcohol: effect of sizing wax on tensile properties, abrasion resistance, and weaving performance of polyester/cotton yarn *Walker, Perkins* 667

of sized yarns: two-component sizing systems: physicochemical properties *Slauson, Miller, Rebenfeld* 181
of wool fibers: aromatically and aliphatically modified under alkaline conditions as a function of temperature *Ellison, Zeronian* 201
tensile-to-torsional moduli ratio *E/G*: relevance as a measure of mechanical anisotropy of wool fibers *Curiskis, de Jong* 509

Tension
in wool setting treatments: linear viscoelasticity applied to keratin fibers *de Jong* 647

Texturing
air-jet texturing of nylon: stability of yarns: comments on *Wray* 633
of jute/proplon blended yarns: effect of blend level, fiber type, and caustic concentration *Gupta, Majumdar, Mathew, Sur, Roy, Dasgupta* 706

Thermal Analysis
differential scanning calorimetry: used to detect glass transition in wool *Phillips* 171
of washed and unwashed cottons: objective differentiation: byssinosis *Ward, Calamari, Benerito* 186
thermally instrumented mannequin: design, construction, and use of Minnesota Woman to test clothing fires *Norton, Kadolph, Johnson, Jordan* 5

Thermal Properties
thermal storage and release fabrics: temperature-adaptable polyester, cotton, nylon, wool *Vigo, Frost* 737

Thermodynamics
of irreversible processes: evolution of fibrous structures within unstable polymeric fluids *Sawyer, George* .. 415

Toxicity
endotoxin levels in dusts: effect of area of growth on condensed tannins in cotton bracts *Rousselle* 698
of cotton varieties: effect of growth area of cotton varieties on gram negative bacillary and endotoxin levels *Fischer, Jacobs* 165
of stored bales of lint: changes in gram negative bacteria and endoxin *Columbus, Fischer* 308
residual pesticide distribution on clothing: determined by electron microscopy *Solbrig, Obendorf* 540

Viscosity
profiles of printing thickeners: high shear rates: use in predicting paste flow in screen printing *Guion, Hood* 498

Waterproofing
microporous fabrics: effect of salt spray on the rate of water vapor transmission *Mooney, Schwartz* 449

Wettability
of cotton fibers: testing based on washed and unwashed fibers *Ward, Benerito* 40

Wool
anisotropy of: torsion and tensile experiments: humidity and temperature effects: two phase composite *de Jong, Curiskis* 718
Australian greasy: distribution of fiber diameter within sale lots: coarse edge statistics *Whiteley, Thompson* ... 107
blended with cotton: finishing of: applying crosslinking agents and polymers *Harper, Mehta* 761
blends with cotton and polyester: yarns spun by different methods and their properties *Louis, Bel* 681
contaminants in top: detecting colored fiber contaminants using balanced illumination *Chudleigh, Foulds, Wong* 233
corona pretreated: effect of corona and oxidation pretreatments on grafting *Bhalla, Nigam, Pillai* 254
flame retardancy of blends: effects of heat on cotton with polyester and wool: SEM study *Goynes, Trask* ... 402
heat exchange and thermal insulation of: compared with nylon garments during wear trials *Holmér* 511
hygral expansion of: plain-weave outerwear wool yarns and fabrics *Dhingra, Postle, Mahar* 28
knitwear: a kinetic model for pilling *Williams* 312
nonionic surfactants on: sorption and analysis of some nonylphenol ethoxylate surfactants *Freeland, Guise, Russell* 358
photo-damage to keratin: fluorescence and phosphorescence of keratin excited by UV-A radiation *Smith, Melhuish* 304
phototendering of: effect of metal content in 1:2 premetallized dyes *Benisek, Edmondson, Matthews* 256
rate of photoyellowing: factors affecting bleached and fluorescently whitened wool cloth *Levene* 477
reference standard tops: measuring fiber diameter distribution *Lunney, Brown* 671
scouring: dirt recovery from effluent by decanter centrifuge *Warner* 133
setting treatments for: linear viscoelasticity applied to keratin fibers *de Jong* 647
shrinkproofing of: mechanism of adhesion in the chlorine-Hercosett® process and effect of sulphite stage *Brooks* 379
shrinkresisting with Synthappret BAP: effect of drying conditions on adhesion between wool and polymer *Cook, Fleischfresser* 607
thermal storage and release fabrics: temperature-adaptable fabrics treated with plastic crystal substances *Vigo, Frost* 737
thermal transitions in: detecting a glass transition in wool by differential scanning calorimetry *Phillips* 171
thiol differences along keratin fibers: stress/strain and stress-relaxation behavior as a function of temperature and extension *Robinson, Rigby* 597
whiteness of: effect of modified rinsing conditions on whiteness of laboratory scoured wool *Bateup* 50

Wool Fibers
bulk compression of: importance of boundary friction in measuring loose fibers *Young, Dircks* 223
contaminants in: cellular debris in grease of wool fibers: possible allergens *Orwin, Woods* 84
linear viscoelastic relaxation: analysis of the humidity-time superposition: water as a plasticizer *Wortmann, de Jong* 750
mechanical anisotropy: relevance of the tensile-to-torsional moduli ratio *E/G* as a measure of anisotropy *Curiskis, de Jong* 509
tear strength of: influence of technological processes on: effects of scouring, dyeing *Popescu, Chelaru, Magrini, Pali, Corneanu* 72
tensile properties of: aromatically and aliphatically modified under alkaline conditions as a function of temperature *Ellison, Zeronian* 201

Wool, Raw
length characteristics of top: statistical procedures for predicting from raw wool measurements *Brown, Rottenbury, Kavanagh* 143

Wrinkle Recovery
of cotton fabrics: an appraisal of AATCC test method 66-1978: comparison of treated and untreated fabrics *Rippon* 103
of crosslinked and uncrosslinked cotton: effect of Synthappret BAP *Rippon* 239

Yarn Irregularity
in aligned fiber assemblies: statistics for the number of fiber ends in a segment of a random fiber assembly: yarns and silvers *Brown, Ly* 206

of jute: a microprocessor-based system for obtaining variance-length curves *Jain, Das, Ray* 372
of polyester fibers: using roving load-elongation curve measurements to characterize *Neelakantan, Aggarwal* 136
Yarn Properties
of cotton yarns: comparison of yarns produced by DREF-3, ring, and open-end spinning methods *Louis, Salaun, Kimmel* 344
of wool blends with cotton and polyester: yarns spun by different methods *Louis, Bel* 681
Yarns
air-jet textured nylon: stability of yarns: comments on *Wray* 633
continuous filament glass: evenness testing of linear density variations *Köhler* 13
multifilament: load elongation properties of filaments in a bundle: nylon and polyester at various stages of manufacture *Datye, Mishra* 46
sized: two-component systems: physicochemical properties of *Slauson, Miller, Rebenfeld* 181
tenacity of: effects of strain rate on cotton yarns *Balasubramanian, Salhotra* 74
yarn strength forecasting: multiple regression analysis: extending applicable ranges of regression equations *Smith, Waters* 713
Yarn Tenacity
response to increasing rotor speed: influence of carding technique *Salhotra, Balasubramanian* 381
Yellowing
of bleached and fluorescently whitened wool: factors affecting the rate of photoyellowing *Levene* 477